

Public Information and Electoral Bias*

Curtis R. Taylor
Department of Economics
Duke University
Box 90097
Durham, NC 27708
E-mail: crtaylor@econ.duke.edu

Huseyin Yildirim
Department of Economics
Duke University
Box 90097
Durham, NC 27708
E-mail: yildirh@econ.duke.edu

February 2007

Abstract

We present a theory of strategic voting that predicts (1) elections are more likely to be close, and (2) voter turnout is more likely to be high when citizens possess better public information about the composition of the electorate. These findings are disturbing because they suggest that providing more information to potential voters about aggregate political preferences (e.g., through pre-election polls, political stock markets, or expert forecasts) may actually undermine the democratic process. We analyze both small and large elections. We show that if the distribution of preferences is common knowledge, then the unique type-symmetric equilibrium leads to a stark neutrality result in which the probability that either alternative wins the election is $\frac{1}{2}$. We demonstrate that this neutrality result is endemic to large elections. By contrast, when citizens are ignorant about the distribution of preferences, the majority is more likely to win the election and expected voter turnout is lower. Welfare is, therefore, unambiguously higher when citizens possess less information about the distribution of preferences.

JEL Classifications: C72, D72, D82.

*We thank Han Hong, Matt Jackson, Jacob Goeree, Canice Prendergast and seminar participants at Columbia, Duke, MIT, NYU(Politics), UC-Berkeley, UCLA, and UPenn for helpful comments and suggestions. Taylor's research was supported in part by NSF grant SES-0417737. Any remaining errors are our own.

The time has come, I think, to advocate the unspeakable in a forthright and unapologetic manner, and not in the facetious or peripheral way that tradition and circumstance have heretofore demanded. By our rules of procedure, and by any scientific method of counting or reckoning under these rules, the race for the presidency has ended in a flat tie and should be decided by the toss of the coin . . .

—Stephen Jay Gould, *Boston Globe*, November 30, 2000.

1 Introduction

The U.S. presidential election of 2000 between George W. Bush and Al Gore resulted in a virtual tie. Gore won the national popular election by 532,994 votes or just 0.35%. Bush won the popular election in the decisive state of Florida by 537 votes or just 0.008%. Bush's ultimate margin of victory in the Electoral College was a mere 5 of 537 votes, the thinnest margin since Hayes beat Tilden by a single vote in 1876. While the U.S. presidential contest of 2000 is one of the most notable elections in recent history to result in a virtual tie, it is not the only one. The Washington State gubernatorial race of 2004, for example, was decided by 129 votes in a hand recount of over 2.9 million ballots.¹ Similarly, the 1997 race for the U.K. House of Commons seat for Winchester resulted in a deadlock, the official count separating the top two candidates by only 2 votes out of 52,198 cast. The two vote margin was disputed and the election was ultimately decided by a court-ordered special runoff.² Indeed, as Barone (2006) notes, close elections appear to be an increasingly common part of the political landscape in modern democracies. The very contentious 2006 national elections in Mexico and Italy were each decided by a margin of less than 1%. Also, Canada and Germany have governments headed by leaders of center-right parties that have only a plurality of parliamentary seats that came in ahead of their center-left predecessors by small margins.

In this paper we present a theory of strategic voting that predicts that elections are more likely to be close and voter turnout is more likely to be high when citizens possess better public information about the composition of the electorate. These findings are disturbing because they indicate that providing more information to potential voters about aggregate

¹See <http://www.cnn.com/2005/allpolitics/01/12/washington.governor.ap/#contentarea>.

²See http://news.bbc.co.uk/vote2001/hi/english/voting_system/newsid_1171000/1171887.stm.

political preferences (e.g., through polls, political stock markets, or expert forecasts) may actually undermine the democratic process.

To further motivate this idea, it is worth noting that a simple analysis of the 27 election outcomes since 1900 indicates that the U.S. presidential race has become more closely contested over time as citizens have gained access to new sources of information such as: radio, television, and the Internet. Specifically, let $t = 1, 2, \dots, 27$ and let y_t be the fraction of the popular vote received by the winner in election t , where $t = 1$ represents the election of 1900 and $t = 27$ the election of 2004.³ An ordinary least squares regression of the equation

$$y_t = \beta_0 + \beta_1 t$$

yields the following estimates: $\beta_0^* = 0.5971$ with **T**-statistic 34.7, and $\beta_1^* = -0.0107$ with **T**-statistic 2.27.⁴ Hence, there is support at the 95% level of confidence for the hypothesis that the margin of victory in presidential elections has fallen over the past century. While this is, of course, not a direct test of our model, it does provide intriguing *prima facie* support for the idea that increased voter access to information over time is associated with closer elections.⁵

Our theory is built on a model in which citizens possess private valuations over electoral outcomes and in which voting is costly.⁶ Within this framework we explore two informational regimes, one in which the distribution of political preferences is common knowledge (the informed-voter setting) and one in which citizens are symmetrically ignorant about this distribution (the uninformed-voter setting). In each regime we characterize a unique type-symmetric Bayesian Nash Equilibrium (BNE) in which all citizens randomize between voting for their preferred alternative and abstaining.⁷ We further show that this is the only behavior consistent with a symmetric BNE of the voting game when the population of citizens is sufficiently large.

³The source for the data is <http://presidentelect.org>.

⁴This is obviously an overly simplistic analysis since the fraction received by the winner must always be non-negative and in a two-party race must be no less than 50%.

⁵For direct statistical evidence that polls influence voter turnout, see Sudman (1986) AND West (1991). Klory and Winterz (2006) present evidence (from experiments and recent U.S. gubernatorial elections) that the publication of poll results may actually help the majority win when the population is closely divided. They find that members of the majority are most likely to abstain in very lopsided electorates.

⁶Citizens in our private-values model are differentiated by their intrinsic preferences over political alternatives. Hence, we do not study the information aggregation problem that is the focus of common-value models such as Feddersen and Pesendorfer (1997, 1998).

⁷Mixing arises from the assumption that all citizens possess the same cost of voting. As we discuss in the Conclusion, however, our main findings are robust to a ‘purified’ version of the model in which voting costs are independently and privately drawn from a continuous distribution.

We compare expected equilibrium outcomes across the two informational environments and find stark differences. First, in the informed-voter setting, the probability that either alternative wins the election under the mixed-strategy BNE equals $\frac{1}{2}$ regardless of the distribution of political preferences or the cost of voting. This neutrality result stems from the fact that individuals who expect to be in the minority vote with higher probability than those who expect to be in the majority in equilibrium. In other words, individuals who expect to be in the minority suffer less from the free-rider problem. Indeed, their lower expected numbers are offset exactly by their greater expected participation, so that the expected equilibrium number of votes for each alternative is the same regardless of the actual distribution of preferences.⁸

In the uninformed-voter setting, however, citizens are not able to base their voting decisions on the distribution of political preferences, since they know only their own types. In fact, given a symmetric common prior over the parameter governing the distribution of tastes, it follows that all citizens vote with the same probability regardless of type. This equilibrium probability of voting is strictly positive, and the majority group, therefore, wins the election with probability strictly greater than $\frac{1}{2}$. Importantly, it is also possible to show that expected equilibrium voter turnout is lower in the uninformed-voter setting. Hence, the uninformed-voter setting gives rise to elections involving higher expected social benefits and lower expected social costs. In other words, when citizens possess less information about the political landscape, elections are both more democratically efficient (the majority is more likely to win) and more economically efficient (fewer resources are expended in the election).

Since many – if not most – important elections involve a large number of potential voters, it is crucial to know whether the uninformed-voter setting continues to yield higher welfare in the limit as the number of citizens tends to infinity. In this context, it is possible to show that the equilibrium number of votes for each alternative correspond to *independent* random variables following Poisson distributions with endogenously determined means.⁹ Armed with this fact, it is straightforward to verify the asymptotic superiority of the uninformed voter setting. Indeed, our strongest result holds in the limit as the number of citizens

⁸The stark nature of this neutrality result arises from the simplifying assumptions underlying our model. A qualitatively similar finding would, however, continue to hold in a less stylized but less transparent setting.

⁹This finding is reminiscent of Myerson (1998, 2000). There are, however, two important differences. First, the means of the Poisson distributions in our model are determined endogenously. Second, they are finite when voting costs are positive.

tends to infinity and the relative cost of voting approaches zero. In this key situation, the alternative favored by the majority wins the election with probability arbitrarily close to 1 when citizens are uninformed but only with probability $\frac{1}{2}$ when they are informed.

Our private-values costly-voting model follows in the tradition of the pioneering works by Ledyard (1984) and Palfrey and Rosenthal (1983, 1985). Ledyard (1984) is primarily concerned with formalizing political competition in a setting with rational voting and endogenously determined political alternatives.¹⁰ Palfrey and Rosenthal (1983, 1984) focus on the issue of equilibrium voter turnout. In their 1983 paper, Palfrey and Rosenthal consider a costly-voting model with complete information and characterize a large number of equilibria, some of which involve significant voter turnout. In their 1985 paper, however, they consider a modified model in which citizens are privately informed about their cost of voting. This gives rise to a unique equilibrium in which only citizens with costs below an endogenous threshold vote.¹¹

More recent papers in the private-values costly-voting paradigm include Campbell (1999) and Borgers (2004).¹² Campbell (1999) studies a model in which members of the minority group possess stronger political preferences (higher values or lower costs) than members of the majority. He presents a limit result that is similar in spirit to our neutrality finding in the informed-voter setting. Specifically, Campbell finds that the minority group wins the election with probability no less than $\frac{1}{2}$ when the number of citizens tends to infinity. While Campbell's findings are both intriguing and enlightening, there are some key differences between his analysis and ours. First, our neutrality result holds even in small populations when voting costs are not too small. Second, Campbell is primarily concerned with explaining the disproportionate influence of zealous minority groups on democratic outcomes rather than on the informational issues at the core of our analysis. Hence, Campbell does not consider the impact of public information on electoral outcomes or voter turnout.

Borgers (2004) investigates a version of our informed-voter setting in which it is common knowledge that the distribution of political preferences is symmetric (i.e., each citizen is equally likely to prefer either alternative). In this context, Borgers shows that equilib-

¹⁰For recent work on strategic candidacy, see Dutta, Jackson and Le Breton (2001). For an intriguing comprehensive study of the origins and persistence of democratic institutions, see Acemoglu and Robinson (2006).

¹¹Aldrich (1993) surveys the three main theories of voter turnout, including strategic models with costly voting.

¹²See also Osborne, Rosenthal and Turner (2000) who investigate strategic costly participation in meetings rather than elections.

rium voter turnout maybe excessive, and he argues cogently that compulsory-voting laws, therefore, make little sense. While Borgers' model is elegant and his findings regarding equilibrium expected voter turnout are significant, his analysis differs markedly from ours. First, because it focuses on symmetrically distributed types, Borgers' model cannot address the electoral bias at the heart of our analysis. Second, Borgers (2004) does not consider the impact of public information on expected turnout or electoral outcomes. Finally, Borgers restricts attention to small populations of potential voters while our results are most powerful in large elections.

Two other recent papers related to this investigation are Krasa and Polborn (2005) and Goeree and Grosser (2006). Krasa and Polborn generalize the Borgers (2004) model to incorporate a general distribution of political preferences and a large electorate. They also derive an asymptotic neutrality result, which leads them to recommend subsidizing voter participation. Our findings, by contrast, illustrate that political neutrality can be broken with even lower turnout than in the Krasa and Polborn model if voters are uncertain about the distribution of political preferences. Goeree and Groser (2006) also study the impact of information on electoral outcomes. Several of their findings regarding the effect of information in small elections have analogues in our analysis. Goeree and Groser do not, however, investigate large elections, the setting in which our most important findings are demonstrated.

Finally, Bernhardt, Duggan, and Squintani (2004) investigate a setting complementary to ours in which candidates learn about voter preferences through polls. They find that citizens prefer private polls to public ones because public polls induce the candidates to cluster their platforms around the preferences of the median voter. Hence, the electorate may be better represented when *candidates* possess less information about voter preferences.

In the next section we set out the model. Sections 3 and 4 contain the analysis of the informed-voter setting and the uninformed-voter setting respectively. In Section 5 we perform welfare comparisons across the two regimes. Section 6 contains an extension investigating the impact of increased uncertainty on the equilibrium in the uninformed-voter setting. We conclude in Section 7 with a brief discussion of three avenues for possible future research. Several technical lemmas and the proofs of all results appear in the Appendix.

2 The Model

Suppose that there are $n \geq 2$ risk-neutral agents who may cast a vote in an election between two alternatives, A and B . Each agent is one of two types, one who prefers A or one who prefers B . A type t agent receives a gross payoff normalized to 1, if alternative t is implemented and 0 otherwise for $t = A, B$.¹³ The cost of voting is $c \in (0, 1]$ for all agents.¹⁴ Hence, each agent possesses two (relevant) actions, to abstain or to vote for his preferred alternative.¹⁵ The *ex post* payoff of a type t agent is given in Table 1.

	t wins	t loses
Abstain	1	0
Vote	$1 - c$	$0 - c$

Table 1: Ex post Payoffs

Agents simultaneously choose whether to vote. The election is decided by majority rule and ties are broken by a fair coin toss. Each agent privately knows his type but believes that the preferences of the other agents are determined by realizations of *i.i.d.* random variables where the probability that an agent is type t is $\lambda_t \in (0, 1)$ and $\lambda_A + \lambda_B = 1$.

We compare type-symmetric Bayesian-Nash Equilibrium (BNE) outcomes of the class of voting games just described across two informational settings. In the *informed-voter setting*, the value of λ_t is common knowledge among all agents. In the *uninformed-voter setting*, all agents possess a non-degenerate common prior over possible values of λ_t .

3 Informed Voters

Let $\phi_t \in [0, 1]$ be the probability that a type- t agent votes (i.e., he abstains with probability $1 - \phi_t$). A symmetric BNE in this setting is a pair of probabilities (ϕ_A, ϕ_B) such that it is optimal for a type t agent to vote with probability ϕ_t when all other agents adhere to this strategy. To find such an equilibrium, note that a type t agent compares the expected payoff from voting, U_t^1 , to the expected payoff from abstaining, U_t^0 .¹⁶ Let $\Delta_t = U_t^1 - U_t^0$ denote the net expected utility for a type t agent from voting.

¹³To avoid repetition, whenever we use t and t' below, we mean $t, t' = A, B$ and $t \neq t'$.

¹⁴Assuming an identical fixed cost for all agents is clearly a simplification. However, as we discuss in the Conclusion, our main results, especially those pertaining to large elections, would not change, if we extended the model to allow for heterogenous private costs of voting across agents as in Palfrey and Rosenthal (1985).

¹⁵Abstaining strictly dominates voting for one's less preferred alternative.

¹⁶The expressions for these expected payoffs are recorded in the proof of Lemma 1 in the appendix.

In order to write Δ_t in a more useful form, let the *ex ante* probability that a type t agent votes be denoted by $\alpha_t = \lambda_t \phi_t$. Hence, the *ex ante* probability of abstaining is $1 - \alpha_A - \alpha_B$. Also, recall that the number of ways k_A agents can vote for A , k_B can vote for B , and $n - 1 - k_A - k_B$ can abstain is given by the trinomial coefficient $\binom{n-1}{k_A, k_B, n-1-k_A-k_B} = \frac{(n-1)!}{k_A! k_B! (n-1-k_A-k_B)!}$.

LEMMA 1. *The net expected utility to a type t agent from voting can be written as*

$$\Delta_t = \frac{1}{2} P_t(\alpha_t, \alpha_{t'}, n) - c, \quad (1)$$

where

$$\begin{aligned} P_t(\alpha_t, \alpha_{t'}, n) \equiv & \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n-1}{k, k, n-1-2k} \alpha_t^k \alpha_{t'}^k (1 - \alpha_t - \alpha_{t'})^{n-1-2k} \\ & + \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \binom{n-1}{k, k+1, n-2-2k} \alpha_t^k \alpha_{t'}^{k+1} (1 - \alpha_t - \alpha_{t'})^{n-2-2k}, \end{aligned} \quad (2)$$

for $t = A, B$, $t \neq t'$, and $\lfloor \cdot \rfloor$ is the usual operator that rounds a number to the lower integer when necessary.

This lemma has a very intuitive interpretation. It says that the net expected utility to a type t agent from voting is composed of three parts. Specifically, $P_t(\alpha_t, \alpha_{t'}, n)$ is the *ex ante* probability that his vote is pivotal. The first summation in (2) is the probability that his vote *breaks* a tie (i.e., the event that k of the other agents vote for each alternative and $n - 1 - 2k$ of them abstain). The second summation is the probability that his vote *creates* a tie (i.e., the event that k of the other agents vote for alternative t , $k + 1$ vote for t' , and $n - 2 - 2k$ abstain). In each case, the agent's vote raises the probability of winning by $\frac{1}{2}$. The third term in equation (1) is simply the agent's cost of voting.

A convenient feature of Lemma 1 is that the net expected utility from voting can be expressed entirely in terms of the *ex ante* probabilities, α_A and α_B . This derives from the fact that λ_A and λ_B are common knowledge. In other words, each agent knows the probability that each of the other citizens will vote for alternative t is $\alpha_t = \lambda_t \phi_t$. This along with the symmetry of the net-expected payoff functions given in (1) imply the following result.

PROPOSITION 1. (Weak Neutrality in Small Elections) *Suppose (ϕ_A, ϕ_B) is a symmetric BNE in totally mixed strategies; i.e., $0 < \phi_t < 1$ for $t = A, B$.*

- (a) *The ex ante probability that an agent votes for alternative A equals the ex ante probability that he votes for B,*

$$\lambda_A \phi_A = \lambda_B \phi_B.$$

- (b) *Both political outcomes are equally likely in equilibrium,*

$$\Pr\{t \text{ wins} | \lambda_t\} = \frac{1}{2}.$$

This result is disturbing. It says that in a mixed-strategy symmetric BNE, the probability that either alternative is implemented does not depend on λ_t . Hence, the alternative that is preferred by the expected majority wins the election with the same probability as the one that is preferred by the expected minority.

The intuition underlying this result rests on a delicate trade-off between an agent's incentive to win the election and his incentive to free ride on other voters who likely share his preferences. For instance, if $\lambda_A > \frac{1}{2}$, then a type *A* agent knows that he is most likely a member of the majority and he has a relatively high incentive to free ride (i.e., he votes with lower probability). On the other hand, a type *B* agent knows that he is most likely a member of the minority and he has a relatively low incentive to free ride (i.e., he votes with higher probability). Remarkably, these effects exactly balance in equilibrium leading to a situation in which the inherently stronger position of a type *A* agent is completely neutralized.¹⁷¹⁸

Since the neutrality result in Proposition 1 presumes that the agents play a symmetric totally mixed-strategy BNE, it is important to determine the conditions under which such an equilibrium exists. Let α denote the *ex ante* probability that an agent votes for one of

¹⁷Another way of understanding the neutrality result is to note that each agent can vote with a probability up to 1. Hence if, in a symmetric BNE, type *B* agents, i.e., the minority fall short of probability 1, then they must be "neutralizing" the majority.

¹⁸Partial evidence in favor of our neutrality result comes from the frequent failure of pre-election polls in predicting the election outcomes. For instance, Jowell, Hedges, Lynn, Farrant and Heath (1993) report that in the 1992 British election, while all polls predicted a very close finish, with the Labor Party victory, the Conservatives in fact won with a significant lead of 7.6 percent. Similarly, Durand, Blais and Vachon (2001) record that in the 1998 general elections in Quebec, public polls overwhelmingly predicted an easy victory for the ruling Parti Quebecois, a party dedicated to Quebec sovereignty. Yet, the Quebec Liberal Party ended up winning. Finally, Durand, Blais and Larochelle (2004) note that in the 2002 French presidential elections, although polls consistently predicted a matchup between the incumbent president, Jacques Chirac, and the incumbent prime minister, Lionel Jospin, in the second round, Jean-Marie Le Pen from an extremist right-wing party instead finished second. Interestingly, a common defense by the pollsters has been the weak turnout by the expected majority on the election day.

the two alternatives in a symmetric totally mixed-strategy BNE (when one exists). Since the *ex ante* probability that he votes at all is 2α , it must be that $0 < \alpha \leq \frac{1}{2}$. In order to find a mixed-strategy equilibrium, it is, therefore, necessary to find a solution in this range to the polynomial indifference equation

$$\frac{1}{2}P(\alpha, n) - c = 0, \quad (3)$$

where $P(\alpha, n) = P_t(\alpha, \alpha, n)$.

The function $P(\alpha, n)$ gives the probability that a given agent's vote is pivotal when the other $n - 1$ agents vote for each alternative with *ex ante* probability α and abstain with probability $1 - 2\alpha$.

LEMMA 2. $P(\alpha, n)$ is strictly decreasing in $\alpha \in [0, \frac{1}{2}]$.

Hence, the probability that a given agent's vote is pivotal is lower when all other agents vote with higher *ex ante* probability. An important implication of this result is that there is at most one solution to the polynomial indifference equation (3). Furthermore, there exists a solution if and only if $\frac{1}{2}P(0, n) > c$ and $\frac{1}{2}P(\frac{1}{2}, n) \leq c$. Let $\alpha^*(c, n)$ denote the solution when it exists. Note that existence of $\alpha^*(c, n)$ is necessary but not sufficient for existence of a totally mixed-strategy BNE. In particular, existence of a totally mixed-strategy BNE also requires $0 < \phi_t = \alpha^*(c, n)/\lambda_t < 1$.

PROPOSITION 2. (Characterization) *There exists a unique symmetric mixed-strategy BNE if and only if*

$$\underline{c}(n) \leq c < \frac{1}{2} \quad (4)$$

and

$$\alpha^*(c, n) < \lambda_t < 1 - \alpha^*(c, n), \quad (5)$$

where

$$\underline{c}(n) \equiv \begin{cases} \binom{n-1}{\frac{n-1}{2}} \left(\frac{1}{2}\right)^n, & \text{if } n \text{ is odd} \\ \binom{n-1}{\frac{n}{2}} \left(\frac{1}{2}\right)^n, & \text{if } n \text{ is even.} \end{cases} \quad (6)$$

Condition (4) specifies the range of voting costs for which a solution $\alpha^*(c, n) \in (0, \frac{1}{2}]$ to (3) exists. Specifically, if $c \geq \frac{1}{2}$, then the unique BNE is for all agents to abstain. A deviating agent would surely be pivotal ($P(0, n) = 1$), but deviating is still not profitable ($\frac{1}{2}P(0, n) \leq c$). On the other hand, if $c \leq \underline{c}(n)$, then at least one type of agent must vote with probability 1 in equilibrium since $\alpha^*(c, n) \geq \frac{1}{2}$.¹⁹ When (4) is satisfied, existence of a symmetric totally mixed-strategy BNE also requires that λ_t not be too extreme. In particular, if (5) fails, then the agents in the expected minority will be unable to neutralize the expected majority even when voting with probability 1.

As an illustration of Proposition 2, suppose $n = 2$. In this case $\alpha^* = 1 - 2c$. Hence, a symmetric mixed-strategy equilibrium exists if and only if $c \in (\frac{1}{4}, \frac{1}{2})$ and $\lambda_t \in (1 - 2c, 2c)$. In fact, this example corresponds to the most stringent setting possible, as we demonstrate in Lemma 3 below.

- **Large Elections**

Given that many key elections involve a relatively large number of potential voters, we now investigate the informed setting for $n \rightarrow \infty$. Since we are ultimately interested in social welfare, we characterize not only the election outcome but also the expected turnout in the limit. But, we first record that the region of the parameter space where the totally mixed strategy BNE prevails grows with the size of the electorate.

LEMMA 3.

- (i) $\underline{c}(n)$ is decreasing, and converges to 0 as $n \rightarrow \infty$.
- (ii) $\alpha^*(c, n)$ is decreasing in n , and converges to 0 as $n \rightarrow \infty$.
- (iii) $P(\alpha_t^*(c, n), \alpha_{t'}^*(c, n), n) \rightarrow 2c$ as $n \rightarrow \infty$.

Next, we determine the expected turnout in the limit. To do so, let X_t be the number of votes for alternative t , and $X_0 = n - X_A - X_B$ be the number of abstentions. Using this notation, a type t agent's vote is pivotal if and only if $X_t = X_{t'}$ (his vote creates a tie), or

¹⁹And that type is more likely to be the minority. Note that the intuition in Footnote 12 now implies that neutrality is likely to breakdown when the cost of voting is small; simply because the minority may not be able to neutralize the majority even if they turn out to vote with certainty. However, below we show that a totally mixed strategy BNE always exists when the population is sufficiently large.

$X_t = X_{t'} + 1$ (his vote breaks a tie). Hence, the probability that his vote is pivotal can be written

$$P(\alpha_t^*(c, n), \alpha_{t'}^*(c, n), n) = \Pr\{X_t = X_{t'}\} + \Pr\{X_t = X_{t'} + 1\}. \quad (7)$$

Now, observe that $(X_A, X_B, X_0|n) \sim \text{Multinomial}(\alpha_A^*(c, n), \alpha_B^*(c, n), 1 - \alpha_A^*(c, n) - \alpha_B^*(c, n)|n)$. Although, for a fixed n , the random variables, X_A and X_B , are clearly correlated,²⁰ the following lemma shows they are independent in the limit. Let $m_t = \lim_{n \rightarrow \infty} n\alpha_t^*(c, n)$ be the expected equilibrium turnout for type t citizens in the limit.²¹

LEMMA 4. *The limiting marginal distributions of X_A and X_B are independent Poisson distributions with means m_A and m_B , respectively. Hence, the limiting distribution of $X_A + X_B$ is also Poisson with mean $m_A + m_B$.*

In light of Lemma 4, let $f(k|\mu)$ be the *p.d.f.* for a Poisson distribution with mean μ . Recall that $f(k|\mu) = \frac{\mu^k e^{-\mu}}{k!}$ for $k = 0, 1, \dots$. Combining (7) and Lemma 4, it follows that

$$\begin{aligned} \lim_{n \rightarrow \infty} P_t(\alpha_t^*(n), \alpha_{t'}^*(n), n) &= \lim_{n \rightarrow \infty} [\Pr\{X_t = X_{t'}\} + \Pr\{X_t = X_{t'} + 1\}] \\ &= \sum_{k=0}^{\infty} f(k|m_t)f(k|m_{t'}) + \sum_{k=0}^{\infty} f(k|m_t)f(k+1|m_{t'}) \\ &\equiv \Phi^I(m_t, m_{t'}). \end{aligned} \quad (8)$$

Moreover, using part (iii) of Lemma 3, eq.(8) implies that the equilibrium limiting turnouts (in the Informed regime), m_A^I and m_B^I , must solve

$$\Phi^I(m_A, m_B) = 2c \text{ and } \Phi^I(m_B, m_A) = 2c. \quad (9)$$

PROPOSITION 3. (Strong Neutrality in Large Elections) *In the informed regime, for any voting cost $c \in (0, \frac{1}{2})$ and any distribution of preferences $\lambda_t \in (0, 1)$, there exists a critical population size \bar{n} such that $n \geq \bar{n}$ implies the existence of a unique symmetric BNE. Moreover,*

- (a) $\lim_{n \rightarrow \infty} \Pr\{\text{Alternative } t \text{ wins} | \lambda_t\} = \frac{1}{2}$.
- (b) $m_A^I = m_B^I = \frac{M^I}{2}$, where the expected aggregate turnout, $M^I \in (0, \infty)$, uniquely solves $\Phi^I(\frac{M^I}{2}, \frac{M^I}{2}) = 2c$.

²⁰The correlation coefficient is $-n\alpha^{*2}(c, n)$.

²¹It can be easily verified that these limits exist and they are finite.

Part (a) of Proposition 3 is a direct implication of Lemma 3, and shows that the neutrality result identified in Proposition 1 is endemic to elections with large populations. In other words, when the distribution of voter preferences is common knowledge, large elections are likely to be close even when the expected fraction of the population preferring one of the alternatives is arbitrarily close to one and the cost of voting is arbitrarily close to zero. As explained in Proposition 1, this disturbing neutrality result is a consequence of the strategic voting behavior that arises when agents have good information about voter preferences. In particular, when informed, agents tailor their voting decisions to reflect the relative size of the group to which they belong.

Part (b) of Proposition 3 points to an additional kind of neutrality result, which is absent in small elections. It says that in large elections, the expected turnouts for both groups are independent of the distribution of voter preferences.²² That is, two large elections with $\lambda_t = \frac{1}{2}$ and $\lambda_t = \frac{99}{100}$ result in the same expected turnout for each alternative, even though intuition suggests that the first one should be closer.

Next, we characterize the strategic voting behavior in the uninformed-voter setting.

4 Uninformed Voters

Consider a setting in which λ_t is *not* common knowledge. Specifically, suppose that before learning their types, the agents' beliefs about λ_t correspond to a non-degenerate common prior distribution. For ease of exposition, assume that the prior is symmetric and defined over a finite set of values, $\lambda^1 > \lambda^2 > \dots > \lambda^r$, where $r \geq 2$.²³ Symmetry of the prior requires $\Pr\{\lambda_t = \lambda^i\} = \Pr\{\lambda_{t'} = \lambda^i\} = \theta^i \in (0, 1)$, for $i = 1, \dots, r$. This implies that $E[\lambda_t] = \frac{1}{2}$. Also, after learning their types, agents' updated beliefs are

$$\Pr\{\lambda_t = \lambda^i | t\} = 2\theta^i \lambda^i.$$

Notice $\Pr\{\lambda_t = \lambda^i | t\} \geq \Pr\{\lambda_t = \lambda^i\}$ if and only if $\lambda^i \geq \frac{1}{2}$. That is, upon observing their

²²Of course, the equality of turnouts is an artifact of the assumption that the cost of voting is the same for both types of agents. However, it should be clear from (9) that even if costs were different, the limit turnouts would still be independent of the distribution of political preferences, i.e., λ_t . Moreover, this result is robust to an extension with private cost of voting, where each agent draws his cost from a distribution. For more on this point, see the discussion in the Conclusion and in Taylor and Yildirim (2006) for a formal derivation.

²³Symmetry of the prior is assumed both for simplicity and in order to isolate the role of information as distinct from any *ex ante* advantage. It is worth emphasizing, however, that the welfare results presented below are conditioned on the realization of λ^i ; i.e., we do not assume that actual political preferences are symmetrically distributed.

own types, agents put more weight on being in the majority—a fact that will be useful in developing the intuition below.

As in the informed-voter setting, a symmetric BNE in this context corresponds to a pair of voting probabilities (ϕ_A, ϕ_B) . Moreover, (ϕ_A, ϕ_B) is a symmetric BNE in totally mixed strategies if and only if it satisfies the indifference conditions

$$\frac{1}{2}E[P_t(\lambda_t\phi_t, \lambda_{t'}\phi_{t'})|t] - c = 0, \quad (10)$$

where $P_t(\cdot, \cdot)$ is defined in (2).

PROPOSITION 4. (Non-neutrality) *Suppose (ϕ_A, ϕ_B) is a symmetric BNE in totally mixed strategies. Then,*

- (a) $\phi_A = \phi_B = \phi$.
- (b) For $n < \infty$, $\Pr\{t \text{ wins} | \lambda_t = \lambda^i\} > \frac{1}{2}$ if and only if $\lambda^i > \frac{1}{2}$.

Part (a) of this result indicates that any symmetric BNE in totally mixed strategies must be *strongly* symmetric in the sense that all agents vote with the same probability regardless of type. The intuition is straightforward. When the prior is symmetric, an agent who discovers that he is type *A* learns as much about the environment as an agent who discovers that he is type *B*. Hence, both types vote with the same probability in equilibrium. This contrasts sharply with part (a) of Proposition 1 where it is shown that agents in the expected minority vote with higher probability than those in the expected majority. This effect is absent in the uninformed-voter setting because no agent expects to be in the minority conditional on learning only his own type. In particular, $E[\lambda_t|t] = 2E[\lambda_t^2] > \frac{1}{2}$.

Next, consider part (b). Because both types of agents vote with the same probability, it follows that the alternative with the expected majority is strictly more likely to win the election. Again, this contrasts with Proposition 1 where it was shown that each alternative was equally likely to win when λ_t was common knowledge.

In order to characterize a symmetric BNE in totally mixed strategies in the uninformed-voter setting, we use $\phi_A = \phi_B = \phi$ and note that the expected probability of being pivotal in equilibrium is

$$Q(\phi, n) \equiv E[P_t(\lambda_t\phi, (1 - \lambda_t)\phi, n)|t] = \sum_{i=1}^{\lfloor \frac{r+1}{2} \rfloor} 2\theta^i T(\phi, n | \lambda_A = \lambda^i) \quad (11)$$

where we define

$$\begin{aligned}
T(\phi, n | \lambda_A = \lambda^i) &\equiv \lambda^i P_A(\lambda^i \phi, (1 - \lambda^i) \phi, n | A) + (1 - \lambda^i) P_B((1 - \lambda^i) \phi, \lambda^i \phi, n | B) \quad (12) \\
&= \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n-1}{k, k, n-1-2k} (\lambda^i (1 - \lambda^i))^k \phi^{2k} (1 - \phi)^{n-1-2k} \\
&\quad + 2 \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \binom{n-1}{k, k+1, n-2-2k} (\lambda^i (1 - \lambda^i))^{k+1} \phi^{2k+1} (1 - \phi)^{n-2-2k}.
\end{aligned}$$

Hence, the equilibrium ϕ^* must solve

$$\frac{1}{2} Q(\phi, n) - c = 0. \quad (13)$$

PROPOSITION 5. *In the uninformed setting, there exists a unique symmetric BNE in totally mixed strategies if and only if $\underline{\underline{c}}(n) < c < \frac{1}{2}$, where*

$$\underline{\underline{c}}(n) = \begin{cases} \underline{c}(n) 2^n E \left[\lambda_t^{\frac{n+1}{2}} (1 - \lambda_t)^{\frac{n-1}{2}} \right], & \text{if } n \text{ is odd,} \\ \underline{c}(n) 2^n E \left[(\lambda_t (1 - \lambda_t))^{\frac{n}{2}} \right], & \text{if } n \text{ is even.} \end{cases}$$

Similar to Proposition 2 of the preceding section, this result characterizes the region of the parameter space where the unique symmetric BNE in totally mixed strategies obtains. Specifically, if $c > \frac{1}{2}$, then no agents vote in equilibrium, and if $c < \underline{\underline{c}}(n)$, then they all vote with certainty.²⁴ In order to facilitate comparison with the informed-voter setting, it is necessary to know how $\underline{\underline{c}}(n)$ compares with $\underline{c}(n)$.

LEMMA 5. *For any n , $\underline{\underline{c}}(n) < \underline{c}(n)$.*

Lemma 5 indicates that if a symmetric BNE in totally mixed strategies obtains in the informed-voter setting, then an analogous BNE obtains in the uninformed-voter setting as well. This is because agents are more likely to follow a mixed strategy when they are in the majority. In the uninformed regime, this is exactly what all agents think after updating their beliefs about λ_t based on their own types.

Next, we consider the large election properties of the uninformed regime.

• Large Elections

²⁴Recall, however, that in the informed-voter setting, if $c < \underline{c}(n)$, then agents in the minority group vote with certainty, whereas agents in the majority might still mix.

The analysis in this section essentially mimics that presented for the informed regime. We first note the following intuitive observation regarding the probability of voting.

LEMMA 6. $\phi^*(n)$ strictly decreases in n , and converges to 0, as $n \rightarrow \infty$.

That is, the equilibrium probability of voting becomes negligible in large elections.

Now, recall that X_t and X_0 denote the number of votes for alternative t , and the number of abstentions, respectively. It is clear that $(X_A, X_B, X_0|n) \sim \text{Multinomial}(\lambda_A \phi^*(n), \lambda_B \phi^*(n), 1 - \phi^*(n)|n)$. The following result parallels Lemma 4.

LEMMA 7. *The limiting marginal distributions of X_A and X_B are independent Poisson distributions with respective means $\lambda_A M$ and $\lambda_B M$, where $M = \lim_{n \rightarrow \infty} n \phi^*(n)$.*

We now re-write the pivot probability in (11) in terms of X_A and X_B . To do so, we first observe that

$$T(\phi^*(n), n | \lambda_A = \lambda^i) = \Pr\{X_B = X_A\} + 2\lambda^i \Pr\{X_B = X_A + 1\}. \quad (14)$$

Hence,

$$\begin{aligned} \lim_{n \rightarrow \infty} Q(\phi^*(n), n) &= \sum_{i=1}^{\lfloor \frac{r+1}{2} \rfloor} 2\theta^i \lim_{n \rightarrow \infty} [\Pr\{X_B = X_A\} + 2\lambda^i \Pr\{X_B = X_A + 1\}] \\ &= \sum_{i=1}^{\lfloor \frac{r+1}{2} \rfloor} 2\theta^i \left[\sum_{k=0}^{\infty} f(k|\lambda^i M) f(k|(1-\lambda^i)M) + 2\lambda^i \sum_{k=0}^{\infty} f(k|\lambda^i M) f(k+1|(1-\lambda^i)M) \right] \\ &\equiv \Phi^U(M|\theta, \lambda). \end{aligned}$$

From (13), the expected aggregate turnout, M^U , is determined by

$$\Phi^U(M|\theta, \lambda) = 2c. \quad (15)$$

PROPOSITION 6. *In the uninformed regime, for any voting cost $c \in (0, \frac{1}{2})$ and any distribution of preferences (λ, θ) , there exists a critical population size \bar{n} such that $n \geq \bar{n}$ implies the existence of a unique symmetric BNE. Moreover,*

- (a) $\lim_{n \rightarrow \infty} \Pr\{t \text{ wins} | \lambda_t = \lambda^i\} > \frac{1}{2}$ if and only if $\lambda^i > \frac{1}{2}$.
- (b) $\lim_{n \rightarrow \infty} \lim_{c \rightarrow 0} \Pr\{t \text{ wins} | \lambda_t = \lambda^i\} = 1$ if and only if $\lambda^i > \frac{1}{2}$.

(c) $m_A^U = \lambda_A M^U$, and $m_B^U = \lambda_B M^U$, where the aggregate turnout, $M^U \in (0, \infty)$, uniquely solves (15).

Part (a) of Proposition 6 indicates that the non-neutrality result identified in Proposition 4 remains valid for large elections. The reason is that while the probability of voting becomes negligible, the aggregate turnout is still significant, and without an electoral bias under the uninformed regime, large elections favor the majority. In fact, as the cost of voting converges to zero, the aggregate turnout grows so large that the majority wins with virtual certainty, which is recorded in part (b). The last part of Proposition 6 simply says that the expected turnout by each type of citizen is proportional to the fraction of that type in the population. This contrasts with the informed case where the expected turnout is equal across groups regardless of the initial distribution of preferences.

5 Welfare Comparison

Armed with the equilibrium outcomes of the two informational regimes, we are now ready to investigate their implications for social welfare. The expected social welfare in this context is the difference between the expected social benefit and the expected social cost. Given the payoff structure in Table 1, and conditional on $\lambda_A = \lambda^i$, the expected social benefit is $B(\phi, n|\lambda_A = \lambda^i) = \Pr\{A \text{ wins}|\lambda^i\}\lambda^i n + \Pr\{B \text{ wins}|1 - \lambda^i\}(1 - \lambda^i)n$, whereas the expected social cost is $C(\phi, n|\lambda_A = \lambda^i) = c\lambda^i\phi_A^* n + c(1 - \lambda^i)\phi_B^* n$. Hence, the expected social welfare is $W(\phi, n|\lambda_A = \lambda^i) = B(n|\lambda_A = \lambda^i) - C(n|\lambda_A = \lambda^i)$. From an ex ante point of view however, since the realization of λ_A is unknown, we compare the ex ante social benefit, cost and welfare for a given θ , which we write as

$$\begin{aligned}\overline{B}(\theta, \lambda, n) &= \sum_{i=1}^r \theta^i B(\phi, n|\lambda_A = \lambda^i), \\ \overline{C}(\theta, \lambda, n) &= \sum_{i=1}^r \theta^i C(\phi, n|\lambda_A = \lambda^i), \\ \overline{W}(\theta, \lambda, n) &= \sum_{i=1}^r \theta^i W(\phi, n|\lambda_A = \lambda^i).\end{aligned}$$

The following result lays out a central finding of this paper.

PROPOSITION 7. (Welfare) *Suppose (4) and (5) hold so that a symmetric totally-mixed strategy BNE obtains in either informational setting. Then, for all $n \leq \infty$*

- (a) $\overline{C}^I(\theta, \lambda, n) > \overline{C}^U(\theta, \lambda, n)$,
- (b) $\overline{B}^I(\theta, \lambda, n) < \overline{B}^U(\theta, \lambda, n)$,
- (c) $\overline{W}^I(\theta, \lambda, n) < \overline{W}^U(\theta, \lambda, n)$.

Part (a) reveals that the expected social cost of voting is strictly greater under the informed regime, which is equivalent to saying that the expected turnout is higher. The intuition behind this result is easily grasped. For any λ_t , the expected equilibrium voter turnout is $2\alpha^*n$ in the informed-voter setting and ϕ^*n in the uninformed-voter setting. To see that $2\alpha^* > \phi^*$, consider a situation in which agents vote with the same *ex ante* probability, $2\alpha = \phi$, in each setting. In this case, a voter in the informed situation has a higher probability of being pivotal than one in the uninformed situation, $P(\alpha, n) > Q(\phi, n)$. The reason is that when agents have better information, they are better positioned to vote strategically. Specifically, with better information, agents who expect to be in the minority vote with higher probability and agents who expect to be in the majority vote with lower probability. This voter-composition effect leads to a closer election and higher probability of being pivotal in the informed-voter setting when the *ex ante* probability of voting is the same across regimes. Of course, in equilibrium the probability of being pivotal must equal $2c$ in both settings. This, however, requires agents to vote with higher *ex ante* probability in the informed-voter setting, $2\alpha^* > \phi^*$.

Part (b) of Proposition 7 says that the *ex ante* social benefit is strictly higher in the uninformed regime than in the informed one. The expected social benefit is maximized when the alternative that is preferred by the majority group wins. As explained above, this is more likely to be the case with the uninformed regime. In particular, in a large election with a small cost of voting, the majority wins with probability close to 1 under the uninformed regime whereas this probability still remains at $\frac{1}{2}$ under the informed regime. Together with part (a) and (b), it follows that expected welfare is unambiguously higher when agents are uninformed about the composition of the electorate, as recorded in part (c).

An implication of this finding is that the public release of information that resolves all uncertainty about the distribution of voter preferences reduces welfare. The reason for this inefficiency is twofold. First, when the distribution of voter preferences becomes common knowledge, each agent knows exactly whether he belongs to the expected minority or the

expected majority group. In this instance, as explained following Proposition 1, each agent tailors his voting strategy to his expected group size so that in equilibrium each group is equally likely to win the election. When no information about the distribution of voter preferences is provided, however, each agent votes with the same equilibrium probability, making the expected majority more likely to win, which is obviously better for expected welfare. Second, as Proposition 7 reveals, the expected total cost of voting is smaller when voters are uninformed. The reason is that when uninformed, all agents put more weight on being in the majority and hence possess less incentive to vote.

6 Uncertainty and Welfare

To this point we have compared two informational regimes, and showed that the uninformed regime outperforms the informed one in expected social welfare. Under the uninformed regime, agents are ignorant about whether they belong to the majority or minority. Although this uncertainty leads them to vote less vigorously and keep social cost lower than under the informed regime, it also reduces electoral bias and increases the probability that the majority wins. Staying within the uninformed regime, a natural question is then to ask whether greater uncertainty results in higher social welfare. To investigate this issue, we first define the degree of uncertainty via a mean-preserving spread over θ .

DEFINITION. (Mean-Preserving Spread) *Let $\theta' = (\theta^{1'}, \dots, \theta^{\lfloor \frac{r+1}{2} \rfloor'}, \dots, \theta^{r'})$ and $\theta = (\theta^1, \dots, \theta^{\lfloor \frac{r+1}{2} \rfloor}, \dots, \theta^r)$ be two symmetric distributions over $\{\lambda^1, \dots, \lambda^{\lfloor \frac{r+1}{2} \rfloor}, \dots, \lambda^r\}$. Distribution θ' is said to be a mean-preserving spread of θ if there is some $i_0 \in \{1, \dots, \lfloor \frac{r+1}{2} \rfloor\}$ such that*

$$\begin{cases} \theta^{i'} \geq \theta^i, & \text{if } i = 1, \dots, i_0 \\ \theta^{i'} \leq \theta^i, & \text{if } i = i_0 + 1, \dots, \lfloor \frac{r+1}{2} \rfloor. \end{cases}$$

The following result shows that increasing uncertainty about political preferences not only improves the chances of the majority winning the election but also reduces the expected cost of voting by reducing the incentive to turnout.

PROPOSITION 8. *Let θ' and θ be two symmetric priors that induce respective equilibrium voting probabilities ϕ'^* and ϕ^* . If θ' is a mean-preserving spread of θ , then for any n (finite or infinite),*

(a) $\phi'^* \leq \phi^*$

(b) $\bar{B}(\theta', \lambda, n) \geq \bar{B}(\theta, \lambda, n)$

(c) $\bar{W}(\theta', \lambda, n) \geq \bar{W}(\theta, \lambda, n)$.

The intuition behind part (a) is obvious. When agents are more uncertain about political preferences, they expect that the election is less likely to be close, which, in turn, makes their votes less pivotal, curbing the incentive to turnout. This reduces the expected social cost. Part (b) is, however, less obvious. To see this, recall that the expected social benefit increases if and only if the probability of winning for the majority increases. However, by encouraging fewer citizens to vote, greater uncertainty adversely affects this probability. What part (b) shows is that the positive direct effect of greater uncertainty outweighs the negative strategic effect. The last part then follows from part (a) and (b).

7 Conclusion

In this paper we have explored the impact of public information about the composition of the electorate on equilibrium voting behavior. Our theoretical findings demonstrate that providing more information of this kind to potential voters harms the democratic process. It biases electoral outcomes toward the alternative preferred by the minority and it leads to higher expected aggregate voting costs.

Although we have employed a standard costly voting model where voters possess intrinsic preferences (i.e., private values) over electoral alternatives and a fixed identical cost of voting, the model can be extended in various ways to lend additional realism and provide guidance for policymakers. In what follows, we briefly discuss three possible extensions of the basic model.

- **Cost Uncertainty.** Our assumption that all agents possess the same cost of voting is clearly a dramatic simplification. We have, however, investigated a more realistic setting where agents' costs are drawn independently from a continuous distribution $G(\cdot)$ defined on $[c_0, c_1]$ as in Palfrey and Rosenthal (1985).²⁵ Our analysis revealed that all results except for the weak neutrality finding in Proposition 1 remain essentially unchanged. In particular, the strong neutrality result under the informed regime, and the main welfare conclusions continue to hold under cost (or benefit) heterogeneity. The

²⁵In a companion paper [Taylor and Yildirim (2006)], we study a model much like the one under the informed regime but with cost uncertainty.

breakdown of weak neutrality under the informed regime implies that the majority is more likely to win the election when the population is finite, although an under-dog effect still obtains that gives the minority a disproportionate probability of winning. The intuition is as follows. As noted in Proposition 1 (see also footnotes 7 and 14), weak neutrality requires that voting cost not be so small as to violate the mixed strategy equilibrium. Otherwise, even if the minority agents vote with probability 1, they will be unable to completely neutralize the majority, and thus for small costs, the majority is more likely to win. When costs are drawn from a continuous distribution, the equilibrium must account for all possible cost realizations (including the small ones), implying that the majority wins with probability greater than $\frac{1}{2}$. In a large election, however, only the agents whose costs are close to the lower bound c_0 vote. In this case, the equilibrium conditions coincide with the setting studied above with voting cost equal to c_0 . Hence, the probability that either side wins is $1/2$ independent of λ in this case.

- **Common values.** It seems plain that in many elections voters are motivated primarily by their fundamental ideologies. Party affiliations and political labels such as Liberal and Conservative obviously connote intrinsic differences in ideological principles. Hence, in elections where ideologies are especially important, the findings presented in this paper regarding the release of public information sound a precautionary note.²⁶ Nonetheless, it is reasonable to suppose that some fraction of citizens may be non partisans whose objective is to elect the “best” or “most qualified” candidate. It would, therefore, be very interesting to investigate the role of public information in a richer model that allows for both partisan and nonpartisan citizens.
- **Endogenous Source of Information.** To the extent that opinion polls, political stock markets, and expert forecasts contain real information about voter sentiment, our analysis reveals that their publication may actually impede efficiency, giving rise to closely contested elections with excessive voter turnout. Before firm policy conclusions can be drawn, however, future research must investigate the endogeneity of the source of information about political preferences. In particular, given the feedback we find between information and equilibrium voting behavior, it is important to understand

²⁶See Hansen, Palfrey and Rosenthal (1987) for empirical evidence in favor of private-values costly-voting models.

the incentives for individuals to report their true preferences to pollsters and the incentives for pollsters and pundits to disclose publicly and fully any information they obtain.²⁷

²⁷Ottaviani and Sorensen (2005) consider competition among forecasters whose payoffs depend on the *ex post* accuracy of their forecasts. The difference in an election context is that accuracy depends on the voters' endogenous behavior.

Appendix

PROOF OF LEMMA 1: First, note that a type t agent's respective expected payoffs from voting and abstaining are given by

$$\begin{aligned}
 U_t^1 &= \sum_{k=0}^{n-1} \binom{n-1}{k} \lambda_t^k (1-\lambda_t)^{n-1-k} \sum_{k_t=0}^k \binom{k}{k_t} \phi_t^{k_t} (1-\phi_t)^{k-k_t} \\
 &\quad \times \left[\sum_{k_{t'}=0}^{k_t-1} \binom{n-1-k}{k_{t'}} \phi_{t'}^{k_{t'}} (1-\phi_{t'})^{n-1-k-k_{t'}} + \binom{n-1-k}{k_t} \phi_{t'}^{k_t} (1-\phi_{t'})^{n-1-k-k_t} \right. \\
 &\quad \left. + \frac{1}{2} \binom{n-1-k}{k_t+1} \phi_{t'}^{k_t+1} (1-\phi_{t'})^{n-2-k-k_t} \right] - c.
 \end{aligned}$$

$$\begin{aligned}
 U_t^0 &= \sum_{k=0}^{n-1} \binom{n-1}{k} \lambda_t^k (1-\lambda_t)^{n-1-k} \sum_{k_t=0}^k \binom{k}{k_t} \phi_t^{k_t} (1-\phi_t)^{k-k_t} \\
 &\quad \times \left[\sum_{k_{t'}=0}^{k_t-1} \binom{n-1-k}{k_{t'}} \phi_{t'}^{k_{t'}} (1-\phi_{t'})^{n-1-k-k_{t'}} + \frac{1}{2} \binom{n-1-k}{k_t} \phi_{t'}^{k_t} (1-\phi_{t'})^{n-1-k-k_t} \right].
 \end{aligned}$$

Thus,

$$\begin{aligned}
 \Delta_t &= U_t^1 - U_t^0 = \sum_{k=0}^{n-1} \binom{n-1}{k} \lambda_t^k (1-\lambda_t)^{n-1-k} \sum_{k_t=0}^k \binom{k}{k_t} \phi_t^{k_t} (1-\phi_t)^{k-k_t} \quad (\text{A-1}) \\
 &\quad \times \left[\frac{1}{2} \binom{n-1-k}{k_t} \phi_{t'}^{k_t} (1-\phi_{t'})^{n-1-k-k_t} \left(\frac{1}{2} \right) \right. \\
 &\quad \left. + \frac{1}{2} \binom{n-1-k}{k_t+1} \phi_{t'}^{k_t+1} (1-\phi_{t'})^{n-2-k-k_t} \left(\frac{1}{2} \right) \right] - c.
 \end{aligned}$$

Now, recall that $\alpha_t = \lambda_t \phi_t$. Define $\beta_t = \lambda_t (1-\phi_t)$. By substituting these and noting the following facts,

$$\begin{aligned}
 \lambda_t^k &= \lambda_t^{k_t} \lambda_t^{k-k_t} \\
 (1-\lambda_t)^{n-1-k} &= (1-\lambda_t)^{k_t} (1-\lambda_t)^{n-1-k-k_t} \\
 (1-\lambda_t)^{n-1-k} &= (1-\lambda_t)^{k_t+1} (1-\lambda_t)^{n-2-k-k_t},
 \end{aligned}$$

equation (A-1) reduces to

$$\begin{aligned}
\Delta_t &= \frac{1}{2} \sum_{k=0}^{n-1} \left[\binom{n-1}{k} \sum_{k_t=0}^k \binom{k}{k_t} \alpha_t^{k_t} \beta_t^{k-k_t} \right. \\
&\quad \times \left. \left(\binom{n-1-k}{k_t} \alpha_t^{k_t} \beta_{t'}^{n-1-k-k_t} + \binom{n-1-k}{k_t+1} \alpha_{t'}^{k_t+1} \beta_{t'}^{n-2-k-k_t} \right) \right] - c \\
&= \frac{1}{2} \sum_{k_t=0}^{\lfloor \frac{n-1}{2} \rfloor} \sum_{k=0}^{n-1} \binom{n-1}{k} \binom{k}{k_t} \binom{n-1-k}{k_t} \alpha_t^{k_t} \alpha_{t'}^{k_t} \beta_t^{k-k_t} \beta_{t'}^{n-1-k-k_t} \\
&\quad + \frac{1}{2} \sum_{k_t=0}^{\lfloor \frac{n-2}{2} \rfloor} \sum_{k=0}^{n-1} \binom{n-1}{k} \binom{k}{k_t} \binom{n-1-k}{k_t+1} \alpha_t^{k_t} \alpha_{t'}^{k_t+1} \beta_t^{k-k_t} \beta_{t'}^{n-2-k-k_t} - c.
\end{aligned}$$

Moreover, given the following two combinatorial identities

$$\binom{n-1}{k} \binom{k}{k_t} \binom{n-1-k}{k_t} = \binom{n-1}{k_t, k_t, n-1-2k_t} \binom{n-1-2k_t}{k-k_t}$$

and

$$\binom{n-1}{k} \binom{k}{k_t} \binom{n-1-k}{k_t+1} = \binom{n-1}{k_t, k_t+1, n-2-2k_t} \binom{n-2-2k_t}{k-k_t},$$

Δ_t simplifies to

$$\begin{aligned}
\Delta_t &= \frac{1}{2} \sum_{k_t=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n-1}{k_t, k_t, n-1-2k_t} \alpha_t^{k_t} \alpha_{t'}^{k_t} \sum_{k=0}^{n-1} \binom{n-1-2k_t}{k-k_t} \beta_t^{k-k_t} \beta_{t'}^{n-1-k-k_t} \\
&\quad + \frac{1}{2} \sum_{k_t=0}^{\lfloor \frac{n-2}{2} \rfloor} \binom{n-1}{k_t, k_t+1, n-2-2k_t} \alpha_t^{k_t} \alpha_{t'}^{k_t+1} \sum_{k=0}^{n-1} \binom{n-2-2k_t}{k-k_t} \beta_t^{k-k_t} \beta_{t'}^{n-2-k-k_t} - c \\
&= \frac{1}{2} \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n-1}{k, k, n-1-2k} \alpha_t^k \alpha_{t'}^k (\beta_t + \beta_{t'})^{n-1-2k} \\
&\quad + \frac{1}{2} \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \binom{n-1}{k, k+1, n-2-2k} \alpha_t^k \alpha_{t'}^{k+1} (\beta_t + \beta_{t'})^{n-2-2k} - c,
\end{aligned}$$

where, *w.l.o.g.*, we change index of summations to k .

The expressions in (1) and (2) then follows by simply observing that $\beta_A + \beta_B = 1 - \alpha_A - \alpha_B$. ■

PROOF OF PROPOSITION 1: In a symmetric BNE in totally mixed strategies, we must have $\Delta_t = 0$, or equivalently

$$\frac{1}{2} P_t(\alpha_t, \alpha_{t'}) - c = 0 \tag{A-2}$$

for $t, t' = A, B$ and $t \neq t'$. Solving (A-2) for $\alpha_{t'}$, we obtain

$$\alpha_{t'} = \frac{2c - \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n-1}{k, k, n-1-2k} \alpha_t^k \alpha_{t'}^k (1 - \alpha_t - \alpha_{t'})^{n-1-2k}}{\sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \binom{n-1}{k, k+1, n-2-2k} \alpha_t^k \alpha_{t'}^k (1 - \alpha_t - \alpha_{t'})^{n-2-2k}}.$$

Hence, $\alpha_A = \alpha_B$, or equivalently $\lambda_A \phi_A = \lambda_B \phi_B$.

To prove part (ii), let $\alpha_t = \alpha$ in equilibrium. Note that the probability that alternative A wins given that an odd number k of citizens vote is

$$\frac{\binom{n}{k} (1 - 2\alpha)^{n-k} (2\alpha)^k \left(\sum_{j=0}^{\frac{k-1}{2}} \binom{k}{j} \alpha^{k-j} \alpha^j \right)}{\binom{n}{k} (1 - 2\alpha)^{n-k} (2\alpha)^k \left(\sum_{j=0}^k \binom{k}{j} \alpha^{k-j} \alpha^j \right)}.$$

Factoring α^k out of the summations and canceling like terms in the numerator and denominator yields

$$\frac{\sum_{j=0}^{\frac{k-1}{2}} \binom{k}{j}}{\sum_{j=0}^k \binom{k}{j}} = \frac{1}{2}.$$

If an even number $k > 0$ of citizens vote, then a tie occurs in the event that $j = \frac{k}{2}$ of them vote for alternative B , in which case the election is decided by a coin toss. Hence, the probability that alternative A wins is

$$\frac{\sum_{j=0}^{\frac{k}{2}-1} \binom{k}{j} + \binom{k}{\frac{k}{2}} \left(\frac{1}{2}\right)}{\sum_{j=0}^k \binom{k}{j}} = \frac{1}{2}.$$

Finally, if $k = 0$ citizens vote, then A also wins with probability $\frac{1}{2}$. ■

PROOF OF LEMMA 2: We simply differentiate $P(\alpha, n)$ with respect to α

$$\begin{aligned} \frac{\partial}{\partial \alpha} P(\alpha, n) = & \left[\sum_{k=1}^{\lfloor \frac{n-1}{2} \rfloor} \frac{(n-1)!}{(k!)^2(n-1-2k)!} 2k\alpha^{2k-1}(1-2\alpha)^{n-1-2k} \right. \\ & \left. - \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha^{2k} 2(n-1-2k)(1-2\alpha)^{n-2-2k} \right] \\ & + \left[\sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} (2k+1)\alpha^{2k}(1-2\alpha)^{n-2-2k} \right. \\ & \left. - \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} \alpha^{2k} 2(n-2-2k)(1-2\alpha)^{n-3-2k} \right]. \end{aligned}$$

Next, we combine the first summation with the last one and the second summation with the third one,

$$\begin{aligned} \frac{\partial}{\partial \alpha} P(\alpha, n) \leq & (n-1)! \left[\sum_{k=1}^{\lfloor \frac{n-1}{2} \rfloor} \frac{2k}{(k!)^2(n-1-2k)!} \alpha^{2k-1}(1-2\alpha)^{n-1-2k} \right. \\ & \left. - \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{2(n-2-2k)}{k!(k+1)!(n-2-2k)!} \alpha^{2k+1}(1-2\alpha)^{n-3-2k} \right] \\ & + (n-1)! \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \left(\frac{2k+1}{k!(k+1)!(n-2-2k)!} - \frac{2(n-1-2k)}{(k!)^2(n-1-2k)!} \right) \alpha^{2k}(1-2\alpha)^{n-2-2k} \\ = & (n-1)! \left[\sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor - 1} \frac{2(k+1)}{((k+1)!)^2(n-1-2(k+1))!} \alpha^{2k+1}(1-2\alpha)^{n-3-2k} \right. \\ & \left. - \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{2(n-2-2k)}{k!(k+1)!(n-2-2k)!} \alpha^{2k+1}(1-2\alpha)^{n-3-2k} \right] \\ & + (n-1)! \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \left(\frac{2k+1}{k!(k+1)!(n-2-2k)!} - \frac{2}{(k!)^2(n-2-2k)!} \right) \alpha^{2k}(1-2\alpha)^{n-2-2k} \end{aligned}$$

$$\begin{aligned} &\leq (n-1)! \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor - 1} \left(\frac{2(n-2-2k)}{k!(k+1)!(n-2-2k)!} - \frac{2(k+1)}{((k+1)!)^2(n-1-2(k+1))!} \right) \alpha^{2k+1} (1-2\alpha)^{n-3-2k} \\ &+ (n-1)! \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \left(\frac{2k+1}{k!(k+1)!(n-2-2k)!} - \frac{2}{(k!)^2(n-2-2k)!} \right) \alpha^{2k} (1-2\alpha)^{n-2-2k}. \end{aligned}$$

Because

$$\frac{2(k+1)}{((k+1)!)^2(n-1-2(k+1))!} - \frac{2(n-2-2k)}{k!(k+1)!(n-2-2k)!} = 0$$

and

$$\frac{2k+1}{k!(k+1)!(n-2-2k)!} - \frac{2}{(k!)^2(n-2-2k)!} = -\frac{1}{k!(k+1)!(n-2-2k)!},$$

it follows that

$$\frac{\partial}{\partial \alpha} P(\alpha, n) \leq -(n-1)! \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{1}{k!(k+1)!(n-2-2k)!} \alpha^{2k} (1-2\alpha)^{n-2-2k} < 0. \quad \blacksquare$$

PROOF OF PROPOSITION 2: Since, from Lemma 2, $P(\alpha, n)$ is strictly decreasing in $\alpha \in [0, \frac{1}{2}]$, there is at most one solution to $\frac{1}{2}P(\alpha, n) - c = 0$. Moreover, a solution exists if and only if $\frac{1}{2}P(0, n) - c > 0$ and $\frac{1}{2}P(\frac{1}{2}, n) - c \leq 0$. It is easy to verify that $P(0, n) = 1$ and $\frac{1}{2}P(\frac{1}{2}, n) = \underline{c}(n)$ as given in (6). Hence, there is a unique solution $\alpha^*(c, n)$ to equation (3) if and only if $\underline{c}(n) \leq c < \frac{1}{2}$. For $\alpha^*(c, n)$ to be part of an equilibrium, it also needs to satisfy: (1) $0 < \phi_t = \frac{\alpha^*(c, n)}{\lambda_t} < 1$, and (2) $0 < \phi_{t'} = \frac{\alpha^*(c, n)}{1-\lambda_t} < 1$, or equivalently $\alpha^*(c, n) < \lambda_t < 1 - \alpha^*(c, n)$. \blacksquare

PROOF OF LEMMA 3: To prove part (i), note that

$$\frac{\underline{c}(n+2)}{\underline{c}(n)} = \begin{cases} \frac{n}{n+1}, & \text{if } n \text{ is odd} \\ \frac{n+1}{n+2}, & \text{if } n \text{ is even,} \end{cases}$$

which, given $\underline{c}(2) = \underline{c}(3) = \frac{1}{4}$, reveals

$$\underline{c}(n) = \begin{cases} \frac{1}{2} \prod_{k=0}^{\frac{n-1}{2}-1} \frac{2k+1}{2k+2}, & \text{if } n \text{ is odd} \\ \frac{1}{2} \prod_{k=0}^{\frac{n}{2}-1} \frac{2k+1}{2k+2}, & \text{if } n \text{ is even.} \end{cases} \quad (\text{A-3})$$

Since $\frac{2k+1}{2k+2} < 1$, $\underline{c}(n)$ is decreasing. Moreover, $\underline{c}(n) \leq b(n)$ for some sequence $b(n) \equiv \prod_{k=0}^n \sqrt{\frac{k+1}{k+2}}$. Simple algebra shows $b(n) = \frac{1}{\sqrt{n+2}}$, which implies $\lim_{n \rightarrow \infty} b(n) = 0$. Hence, $\lim_{n \rightarrow \infty} \underline{c}(n) = 0$.

To prove that $\alpha^*(c, n)$ is decreasing in n , it suffices to prove $P(\alpha, n)$ is decreasing in n . By definition,

$$\begin{aligned}
P(\alpha, n) - P(\alpha, n+1) &= \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha^{2k} (1-2\alpha)^{n-1-2k} \\
&+ \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-2-2k} - \sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{n!}{(k!)^2(n-2k)!} \alpha^{2k} (1-2\alpha)^{n-2k} \\
&- \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{n!}{k!(k+1)!(n-1-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-1-2k}.
\end{aligned} \tag{A-4}$$

Before signing this expression, we suppose that n is odd, and re-write the third summation:

$$\begin{aligned}
&\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{n!}{(k!)^2(n-2k)!} \alpha^{2k} (1-2\alpha)^{n-2k} \\
&= \sum_{k=0}^{\frac{n-1}{2}} \left[1 + \frac{2k}{n-2k} \right] \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha^{2k} (1-2\alpha)^{n-2k} \\
&= (1-2\alpha) \sum_{k=0}^{\frac{n-1}{2}} \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha^{2k} (1-2\alpha)^{n-1-2k} \\
&+ 2\alpha \sum_{k=1}^{\frac{n-1}{2}} \frac{(n-1)!}{(k-1)!k!(n-2k)!} \alpha^{2k-1} (1-2\alpha)^{n-2k} \\
&= (1-2\alpha) \sum_{k=0}^{\frac{n-1}{2}} \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha^{2k} (1-2\alpha)^{n-1-2k} \\
&+ 2\alpha \sum_{k=0}^{\frac{n-1}{2}-1} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-2-2k}.
\end{aligned}$$

Inserting this into (A-4) and canceling terms yield

$$\begin{aligned}
P(\alpha, n) - P(\alpha, n+1) &= 2\alpha \sum_{k=0}^{\frac{n-1}{2}} \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha^{2k} (1-2\alpha)^{n-1-2k} \\
&+ (1-2\alpha) \sum_{k=0}^{\frac{n-1}{2}-1} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-2-2k} \\
&- \sum_{k=0}^{\frac{n-1}{2}} \frac{n!}{k!(k+1)!(n-1-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-1-2k} \\
&= \sum_{k=0}^{\frac{n-1}{2}-1} \left(\frac{2}{n-1-2k} + \frac{1}{k+1} \right) \frac{(n-1)!}{(k!)^2(n-2-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-1-2k} \\
&- \sum_{k=0}^{\frac{n-1}{2}} \frac{n!}{k!(k+1)!(n-1-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-1-2k} + \frac{2(n-1)!}{\left(\frac{n-1}{2}!\right)^2} \alpha^n \\
&= \sum_{k=0}^{\frac{n-1}{2}-1} ((n+1)-n) \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha^{2k+1} (1-2\alpha)^{n-1-2k} \\
&+ \frac{2(n-1)!}{\left(\frac{n-1}{2}!\right)^2} \alpha^n - \frac{n!}{\frac{n-1}{2}!(\frac{n-1}{2}+1)!} \alpha^n > 0.
\end{aligned}$$

Given that $\alpha^*(c, n)$ is decreasing in n and bounded below by 0, it converges to some $\alpha_\ell \geq 0$. Suppose $\alpha_\ell > 0$. Since $P(\alpha, n)$ is continuous in α , it follows that $\lim_{n \rightarrow \infty} \frac{1}{2}P(\alpha_\ell, n) - c = 0$, or $\lim_{n \rightarrow \infty} P(\alpha_\ell, n) = 2c > 0$.

We now argue that for $\alpha_\ell > 0$, $\lim_{n \rightarrow \infty} P(\alpha_\ell, n) = 0$. To see this, note that since $P(\alpha_\ell, n)$ is decreasing in n , it converges to some $h(\alpha_\ell) \geq 0$, and so does its subsequence $P(\alpha_\ell, n+1)$, where, by definition

$$\begin{aligned}
P(\alpha_\ell, n+1) &= \sum_{k=0}^{\frac{n}{2}} \frac{n!}{(k!)^2(n-2k)!} \alpha_\ell^{2k} (1-2\alpha_\ell)^{n-2k} \\
&+ \sum_{k=0}^{\frac{n-1}{2}} \frac{n!}{k!(k+1)!(n-1-2k)!} \alpha_\ell^{2k+1} (1-2\alpha_\ell)^{n-1-2k} \\
&= (1-2\alpha_\ell) \left[\sum_{k=0}^{\frac{n}{2}} \frac{n}{n-2k} \frac{(n-1)!}{(k!)^2(n-1-2k)!} \alpha_\ell^{2k} (1-2\alpha_\ell)^{n-1-2k} \right. \\
&\left. + \sum_{k=0}^{\frac{n-1}{2}} \frac{n}{n-1-2k} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} \alpha_\ell^{2k+1} (1-2\alpha_\ell)^{n-2-2k} \right].
\end{aligned}$$

Since, for a fixed k , $\lim_{n \rightarrow \infty} \frac{n}{n-2k} = \lim_{n \rightarrow \infty} \frac{n}{n-1-2k} = 1$, we have $\lim_{n \rightarrow \infty} P(\alpha_\ell, n+1) = (1 - 2\alpha_\ell) \lim_{n \rightarrow \infty} P(\alpha_\ell, n)$, or, equivalently $2\alpha_\ell h(\alpha_\ell) = 0$, yielding $h(\alpha_\ell) = \lim_{n \rightarrow \infty} P(\alpha_\ell, n) = 0$. This contradicts $\lim_{n \rightarrow \infty} P(\alpha_\ell, n) = 2c \neq 0$. Hence, $\alpha_\ell = 0$. The same exact arguments hold for an even n .

The last part simply follows from (3). ■

PROOF OF LEMMA 4: Note that $(X_A|X_B) \sim \text{Binomial}(n - X_B, \frac{\alpha_A^*(n)}{1 - \alpha_B^*(n)})$. Since

$$\lim_{n \rightarrow \infty} \left[(n - X_B) \frac{\alpha_A^*(n)}{1 - \alpha_B^*(n)} \right] = m_A,$$

it follows (see Billingsley 1995, Theorem 23.2) that

$$(X_A|X_B) \xrightarrow{D} \text{Poisson}(m_A),$$

which is independent of X_B . The same argument shows

$$(X_B|X_A) \xrightarrow{D} \text{Poisson}(m_B).$$

Hence, the limiting distributions of X_A and X_B are independent, which further implies

$$(X_A + X_B) \xrightarrow{D} \text{Poisson}(m_A + m_B). \quad \blacksquare$$

PROOF OF PROPOSITION 3: Proposition 2 and Lemma 3 directly imply the existence of a unique symmetric BNE for a sufficiently large n and any (λ_t, c) pair. Similarly, part (a) follows from Proposition 1 and Lemma 3.

To prove part (b), first note that eq.(9) implies $m_A^I = m_B^I$. This means, after substituting for $m_A^I = m_B^I = \frac{M}{2}$, eq.(9) reduces to $\Phi^I(\frac{M}{2}, \frac{M}{2}) = 2c$. Next, we show that $\Phi^I(\frac{M}{2}, \frac{M}{2})$ is strictly decreasing in M . Differentiation yields

$$\begin{aligned} \frac{d}{dM} H\left(\frac{M}{2}, \frac{M}{2}\right) &= e^{-M} \left[\sum_{k=1}^{\infty} \frac{1}{2^{2k}} \frac{2kM^{2k-1}}{(k!)^2} + 2 \sum_{k=0}^{\infty} \frac{1}{2^{2(k+1)}} \frac{(2k+1)M^{2k}}{k!(k+1)!} \right. \\ &\quad \left. - \sum_{k=0}^{\infty} \frac{1}{2^{2k}} \frac{M^{2k}}{(k!)^2} - 2 \sum_{k=0}^{\infty} \frac{1}{2^{2(k+1)}} \frac{M^{2k+1}}{k!(k+1)!} \right] \\ &= e^{-M} \left[\sum_{k=0}^{\infty} \frac{1}{2^{2(k+1)}} \frac{2(k+1)M^{2(k+1)-1}}{((k+1)!)^2} + 2 \sum_{k=0}^{\infty} \frac{1}{2^{2(k+1)}} \frac{(2k+1)M^{2k}}{k!(k+1)!} \right. \\ &\quad \left. - \sum_{k=0}^{\infty} \frac{1}{2^{2k}} \frac{M^{2k}}{(k!)^2} - 2 \sum_{k=0}^{\infty} \frac{1}{2^{2(k+1)}} \frac{M^{2k+1}}{k!(k+1)!} \right]. \end{aligned}$$

Since the first and last summations cancel out, we have

$$\begin{aligned} \frac{d}{dM} H\left(\frac{M}{2}, \frac{M}{2}\right) &= e^{-M} \left[2 \sum_{k=0}^{\infty} \frac{1}{2^{2(k+1)}} \frac{(2k+1)M^{2k}}{k!(k+1)!} - \sum_{k=0}^{\infty} \frac{1}{2^{2k}} \frac{M^{2k}}{(k!)^2} \right] \\ &= e^{-M} \sum_{k=0}^{\infty} \left[\frac{\frac{1}{2}(2k+1)}{k+1} - 1 \right] \frac{1}{2^{2k}} \frac{M^{2k}}{(k!)^2} < 0. \end{aligned}$$

It is easy to verify that $H(0, 0) = 1$ and $\lim_{M \rightarrow \infty} H\left(\frac{M}{2}, \frac{M}{2}\right) = 0$, which imply

$$H(0, 0) - 2\underline{c} > 0 \text{ and } \lim_{M \rightarrow \infty} [H\left(\frac{M}{2}, \frac{M}{2}\right) - 2\underline{c}] < 0.$$

Hence, there is a unique $M^I \in (0, \infty)$ that satisfies $H\left(\frac{M}{2}, \frac{M}{2}\right) = 2\underline{c}$. ■

PROOF OF PROPOSITION 4: To prove part (a), suppose (ϕ_A, ϕ_B) is a symmetric BNE in totally mixed strategies. Then, eq.(10) implies

$$E[P_A(\lambda_A \phi_A, (1 - \lambda_A) \phi_B) | A] = E[P_B((1 - \lambda_A) \phi_B, \lambda_A \phi_A) | B]. \quad (\text{A-5})$$

Next, we establish

$$E[P_B(1 - \lambda_A) \phi_B, \lambda_A \phi_A | B] = E[P_A(\lambda_A \phi_B, (1 - \lambda_A) \phi_A) | A]. \quad (\text{A-6})$$

To see this, note from (2) that

$$\begin{aligned} E[P_B((1 - \lambda_A) \phi_B, \lambda_A \phi_A) | B] &= \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \left[\binom{n-1}{k, k, n-1-2k} \right. \\ &\quad \times \sum_{i=1}^r 2\theta^i (1 - \lambda^i) (\lambda^i \phi_A)^k ((1 - \lambda^i) \phi_B)^k (1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-1-2k} \left. \right] \\ &\quad + \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \left[\binom{n-1}{k, k+1, n-2-2k} \right. \\ &\quad \times \sum_{i=1}^r 2\theta^i (1 - \lambda^i) (\lambda^i \phi_A)^{k+1} ((1 - \lambda^i) \phi_B)^k (1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-2-2k} \left. \right]. \end{aligned}$$

Now, by symmetry of the prior

$$\begin{aligned} &\sum_{i=1}^r 2\theta^i (1 - \lambda^i) (\lambda^i \phi_A)^k ((1 - \lambda^i) \phi_B)^k (1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-1-2k} \\ &= \sum_{i=1}^r \left[2\theta^i \lambda^{r+1-i} (\lambda^{r+1-i} \phi_B)^k ((1 - \lambda^{r+1-i}) \phi_A)^k (1 - \lambda^{r+1-i} \phi_B - (1 - \lambda^{r+1-i}) \phi_A)^{n-1-2k} \right] \end{aligned}$$

and

$$\begin{aligned} & \sum_{i=1}^r 2\theta^i (1 - \lambda^i) (\lambda^i \phi_A)^{k+1} ((1 - \lambda^i) \phi_B)^k (1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-2-2k} \\ &= \sum_{i=1}^r \left[2\theta^i \lambda^{r+1-i} (\lambda^{r+1-i} \phi_B)^k ((1 - \lambda^{r+1-i}) \phi_A)^{k+1} (1 - \lambda^{r+1-i} \phi_B - (1 - \lambda^{r+1-i}) \phi_A)^{n-2-2k} \right]. \end{aligned}$$

Substituting these equalities into the above expression for $E[P_B((1 - \lambda)\phi_B, \lambda_A\phi_A)|B]$ yields (A-6). Next, combine (A-5) and (A-6) to get

$$E[P_A(\lambda_A\phi_A, (1 - \lambda_A)\phi_B)|A] = E[P_A(\lambda_A\phi_B, (1 - \lambda_A)\phi_A)|A].$$

To derive a contradiction to this, suppose *w.l.o.g.* that $\phi_A > \phi_B$. We show that this implies

$$E[P_A(\lambda_A\phi_A, (1 - \lambda_A)\phi_B)|A] - E[P_A(\lambda_A\phi_B, (1 - \lambda_A)\phi_A)|A] < 0.$$

From (2) we have

$$\begin{aligned} & E[P_A(\lambda_A\phi_A, (1 - \lambda_A)\phi_B)|A] - E[P_A(\lambda_A\phi_B, (1 - \lambda_A)\phi_A)|A] \\ &= \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \left[\binom{n-1}{k, k, n-1-2k} \sum_{i=1}^r 2\theta^i \lambda^i (\lambda^i (1 - \lambda^i) \phi_A \phi_B)^k \right. \\ & \quad \times \left. \left((1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-1-2k} - (1 - \lambda^i \phi_B - (1 - \lambda^i) \phi_A)^{n-1-2k} \right) \right] \\ &+ \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \left[\binom{n-1}{k, k+1, n-2-2k} \sum_{i=1}^r 2\theta^i \lambda^i (\lambda^i (1 - \lambda^i) \phi_A \phi_B)^k \right. \\ & \quad \times \left. \left((1 - \lambda^i) \phi_B (1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-2-2k} - (1 - \lambda^i) \phi_A (1 - \lambda^i \phi_B - (1 - \lambda^i) \phi_A)^{n-2-2k} \right) \right]. \end{aligned}$$

Both of the double summations in this expression are negative. To see that the first one is negative, consider the inner summation

$$\begin{aligned} & \sum_{i=1}^r 2\theta^i \lambda^i (\lambda^i (1 - \lambda^i) \phi_A \phi_B)^k \\ & \quad \times \left((1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-1-2k} - (1 - \lambda^i \phi_B - (1 - \lambda^i) \phi_A)^{n-1-2k} \right). \end{aligned}$$

Use symmetry of the prior to combine terms 1 and r , 2 and $r-1$, and so on, to get

$$\begin{aligned} & \sum_{i=1}^{\lfloor \frac{r+1}{2} \rfloor} 2\theta^i (2\lambda^i - 1) (\lambda^i (1 - \lambda^i) \phi_A \phi_B)^k \\ & \quad \times \left((1 - \lambda^i \phi_A - (1 - \lambda^i) \phi_B)^{n-1-2k} - (1 - \lambda^i \phi_B - (1 - \lambda^i) \phi_A)^{n-1-2k} \right). \end{aligned}$$

(If r is odd, the expression is still valid in this case since the term involving $\lambda_{\lfloor \frac{r+1}{2} \rfloor} = \frac{1}{2}$ is automatically zero.) If $k = \frac{n-1}{2}$, then each term in this summation is evidently zero. If $k < \frac{n-1}{2}$, then each term is negative. To see this, note that $2\lambda^i - 1 < 0$ because we are summing over the left half of the distribution. Moreover,

$$\begin{aligned}\phi_A > \phi_B &\Rightarrow (1 - 2\lambda^i)\phi_A > (1 - 2\lambda^i)\phi_B \\ &\Rightarrow 1 - \lambda^i\phi_A - (1 - \lambda^i)\phi_B > 1 - \lambda^i\phi_B - (1 - \lambda^i)\phi_A \\ &\Rightarrow (1 - \lambda^i\phi_A - (1 - \lambda^i)\phi_B)^{n-1-2k} > (1 - \lambda^i\phi_B - (1 - \lambda^i)\phi_A)^{n-1-2k}.\end{aligned}$$

A similar argument shows that the second double summation in the above expression is also negative.

The proof of part (b) closely follows the proof of its counterpart in Proposition 1. Given $\phi_A = \phi_B = \phi$ from part (a), the probability that alternative A wins when an odd number k of citizens vote is

$$\frac{\binom{n}{k}(1-\phi)^{n-k}\phi^k \left(\sum_{j=0}^{\frac{k-1}{2}} \binom{k}{j} (\lambda_A \phi)^{k-j} ((1-\lambda_A)\phi)^j \right)}{\binom{n}{k}(1-\phi)^{n-k}\phi^k \left(\sum_{j=0}^k \binom{k}{j} (\lambda_A \phi)^{k-j} ((1-\lambda_A)\phi)^j \right)}.$$

Factoring ϕ^k out of the summations and cancelling like terms in the numerator and denominator yields

$$\frac{\sum_{j=0}^{\frac{k-1}{2}} \binom{k}{j} \lambda_A^{k-j} (1-\lambda_A)^j}{\sum_{j=0}^k \binom{k}{j} \lambda_A^{k-j} (1-\lambda_A)^j}.$$

Since $\sum_{j=0}^k \binom{k}{j} \lambda_A^{k-j} (1-\lambda_A)^j = 1$, the probability that A wins is equal to

$$\sum_{j=0}^{\frac{k-1}{2}} \binom{k}{j} \lambda_A^{k-j} (1-\lambda_A)^j,$$

which is greater than $\frac{1}{2}$ if and only if $\lambda_A > \frac{1}{2}$.

If an even number $k > 0$ of citizens vote, then a tie occurs in the event that $j = \frac{k}{2}$ of them vote for alternative B , in which case the election is decided by a coin toss. Hence, the probability that alternative A wins is

$$\sum_{j=0}^{\frac{k}{2}-1} \binom{k}{j} \lambda_A^{k-j} (1-\lambda_A)^j + \binom{k}{\frac{k}{2}} \lambda_A^{\frac{k}{2}} (1-\lambda_A)^{\frac{k}{2}} \left(\frac{1}{2} \right).$$

To evaluate this probability, note that

$$\begin{aligned} \sum_{j=0}^k \binom{k}{j} \lambda_A^{k-j} (1 - \lambda_A)^j &= \sum_{j=0}^{\frac{k}{2}-1} \left[\binom{k}{j} \lambda_A^{k-j} (1 - \lambda_A)^j + \binom{k}{\frac{k}{2}} \lambda_A^{\frac{k}{2}} (1 - \lambda_A)^{\frac{k}{2}} \left(\frac{1}{2} \right) \right] \\ &+ \sum_{j=\frac{k}{2}+1}^k \left[\binom{k}{j} \lambda_A^{k-j} (1 - \lambda_A)^j + \binom{k}{\frac{k}{2}} \lambda_A^{\frac{k}{2}} (1 - \lambda_A)^{\frac{k}{2}} \left(\frac{1}{2} \right) \right] = 1. \end{aligned}$$

Since $\binom{k}{j} = \binom{k}{k-j}$, the probability that A wins is strictly greater than $\frac{1}{2}$ if and only if $\lambda_A > \frac{1}{2}$.

Finally, if $k = 0$ citizens vote, then A wins with probability $\frac{1}{2}$. ■

PROOF OF PROPOSITION 5: Recall from (11)

$$Q(\phi, n) = \sum_{i=1}^{\lfloor \frac{n+1}{2} \rfloor} 2\theta^i T(\phi, n | \lambda_A = \lambda^i),$$

where $T(\phi, n | \lambda_A = \lambda^i)$ is defined in (12). First, we show that $Q(\phi, n)$ is decreasing in ϕ for $\phi \in (0, 1)$. To do so, it suffices to show each term $T(\phi, n | \lambda_A = \lambda^i)$ is decreasing in ϕ . Differentiating yields

$$\begin{aligned} \frac{\partial}{\partial \phi} T(\phi, n | \lambda_A = \lambda^i) &= 2 \sum_{k=1}^{\lfloor \frac{n-1}{2} \rfloor} \frac{(n-1)!}{(k-1)!k!(n-1-2k)!} (\lambda^i(1-\lambda^i))^k \phi^{2k-1} (1-\phi)^{n-1-2k} \\ &- \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{(k!)^2(n-2-2k)!} (\lambda^i(1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2-2k} \\ &+ 2\lambda^i(1-\lambda^i) \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(2k+1)(n-1)!}{k!(k+1)!(n-2-2k)!} (\lambda^i(1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2-2k} \\ &- 2\lambda^i(1-\lambda^i) \sum_{k=0}^{\lfloor \frac{n-3}{2} \rfloor} \frac{(n-1)!}{k!(k+1)!(n-3-2k)!} (\lambda^i(1-\lambda^i))^k \phi^{2k+1} (1-\phi)^{n-3-2k}. \end{aligned}$$

Since

$$\begin{aligned} &2 \sum_{k=1}^{\lfloor \frac{n-1}{2} \rfloor} \frac{(n-1)!}{(k-1)!k!(n-1-2k)!} (\lambda^i(1-\lambda^i))^k \phi^{2k-1} (1-\phi)^{n-1-2k} \\ &= 2\lambda^i(1-\lambda^i) \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor - 1} \frac{(n-1)!}{(k)!(k+1)!(n-3-2k)!} (\lambda^i(1-\lambda^i))^k \phi^{2k+1} (1-\phi)^{n-3-2k}, \end{aligned}$$

we have

$$\begin{aligned}
\frac{\partial}{\partial \phi} T(\phi, n | \lambda_A = \lambda^i) &= - \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{(k!)^2 (n-2-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2-2k} \\
&+ 2\lambda^i (1-\lambda^i) \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(2k+1)(n-1)!}{k!(k+1)!(n-2-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2-2k} \\
&\leq - \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{(k!)^2 (n-2-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2-2k} \\
&+ \frac{1}{2} \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(2k+1)(n-1)!}{k!(k+1)!(n-2-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2-2k} \\
&= -\frac{1}{2} \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2-2k} < 0.
\end{aligned}$$

where we use the fact that $2\lambda^i(1-\lambda^i) \leq \frac{1}{2}$.

Given that $Q(\phi, n)$ is decreasing in $\phi \in (0, 1)$, (13) has a unique solution $\phi^*(n) \in (0, 1)$ if and only if $\frac{1}{2}Q(0, n) - c > 0$ and $\frac{1}{2}Q(1, n) - c \leq 0$. Noting $Q(0, n) = 1$ and defining $\underline{c}(n) = \frac{1}{2}Q(1, n)$, the result follows. ■

PROOF OF LEMMA 5: When n is odd, note that

$$\begin{aligned}
\underline{c}(n) &= \underline{c}(n) 2^n \sum_{i=1}^r \theta^i (\lambda^i)^{\frac{n+1}{2}} (1-\lambda^i)^{\frac{n-1}{2}} < \underline{c}(n) 2^n \sum_{i=1}^r \theta^i \lambda^i \left(\frac{1}{4}\right)^{\frac{n-1}{2}} \\
&= \underline{c}(n) 2^n \frac{1}{2} \left(\frac{1}{4}\right)^{\frac{n-1}{2}} = \underline{c}(n).
\end{aligned}$$

The same argument proves the case for n even. ■

PROOF OF LEMMA 6: Since $Q(\phi, n)$ is decreasing in ϕ , it suffices to show $Q(\phi, n)$ is decreasing in n for a fixed $\phi \in (0, 1)$. To do so, we prove that each term $T(\phi, n | \lambda_A = \lambda^i)$ is decreasing in n . But this just mimics the proof of the similar result for $\alpha^*(n)$ in part (ii) of

Lemma 3. In particular,

$$\begin{aligned}
T(\phi, n | \lambda_A = \lambda^i) - T(\phi, n+1 | \lambda_A = \lambda^i) &= \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{(n-1)!}{(k!)^2 (n-1-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-1-2k} \\
&+ 2 \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} (\lambda^i (1-\lambda^i))^{k+1} \phi^{2k+1} (1-\phi)^{n-2-2k} \\
&- \sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{n!}{(k!)^2 (n-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2k} \\
&- 2 \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{n!}{k!(k+1)!(n-1-2k)!} (\lambda^i (1-\lambda^i))^{k+1} \phi^{2k+1} (1-\phi)^{n-1-2k}.
\end{aligned}$$

For an odd n , note that

$$\begin{aligned}
&\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{n!}{(k!)^2 (n-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2k} \\
&= \sum_{k=0}^{\frac{n-1}{2}} \left(1 + \frac{2k}{n-2k}\right) \frac{(n-1)!}{(k!)^2 (n-1-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-2k} \\
&= (1-\phi) \sum_{k=0}^{\frac{n-1}{2}} \frac{(n-1)!}{(k!)^2 (n-1-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k} (1-\phi)^{n-1-2k} \\
&+ 2\phi \sum_{k=0}^{\frac{n-1}{2}-1} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} (\lambda^i (1-\lambda^i))^{k+1} \phi^{2k+1} (1-\phi)^{n-2-2k}.
\end{aligned}$$

Inserting this fact and simplifying terms yield

$$\begin{aligned}
T(\phi, n | \lambda_A = \lambda^i) - T(\phi, n+1 | \lambda_A = \lambda^i) &= \sum_{k=0}^{\frac{n-1}{2}} \frac{(n-1)!}{(k!)^2 (n-1-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k+1} (1-\phi)^{n-1-2k} \\
&+ 2\lambda^i (1-\lambda^i) \sum_{k=0}^{\frac{n-1}{2}-1} \frac{(n-1)!}{k!(k+1)!(n-2-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k+1} (1-\phi)^{n-1-2k} \\
&- 2\lambda^i (1-\lambda^i) \sum_{k=0}^{\frac{n-1}{2}} \frac{n!}{k!(k+1)!(n-1-2k)!} (\lambda^i (1-\lambda^i))^k \phi^{2k+1} (1-\phi)^{n-1-2k} > 0.
\end{aligned}$$

The same exact argument follows for n even. Finally, similar arguments for $\lim_{n \rightarrow \infty} \alpha^*(n) = 0$ show $\lim_{n \rightarrow \infty} \phi^*(n) = 0$. ■

PROOF OF LEMMA 7: This uses the exact lines in the proof of Lemma 4, except that we replace $\alpha_A(n)$ with $\lambda_A\phi^*(n)$, and $\alpha_B(n)$ with $\lambda_B\phi^*(n)$. ■

PROOF OF PROPOSITION 6: The existence of a unique symmetric BNE follows from Proposition 5, Lemma 5, and the observation that $\lim_{n \rightarrow \infty} \underline{c}(n) = 0$ by part (i) of Lemma 3. Now, we prove the remainder of the proposition.

(a) Observe that $X_A \sim \text{Poisson}(\lambda M^U)$ and $X_B \sim \text{Poisson}((1-\lambda)M^U)$. Now, for $\lambda_A = \lambda^i$,

$$\begin{aligned} \Pr\{A \text{ wins} | \lambda^i\} &> \frac{1}{2} \\ \Leftrightarrow \Pr\{X_A > X_B\} + \frac{1}{2} \Pr\{X_A = X_B\} &> \Pr\{X_B > X_A\} + \frac{1}{2} \Pr\{X_B = X_A\} \\ \Leftrightarrow \Pr\{X_A > X_B\} &> \Pr\{X_B > X_A\} \\ \Leftrightarrow \sum_{j=0}^{\infty} \sum_{k=j+1}^{\infty} f(j|(1-\lambda^i)M^U) f(k|\lambda^i M^U) &> \sum_{j=0}^{\infty} \sum_{k=j+1}^{\infty} f(j|\lambda^i M^U) f(k|(1-\lambda^i)M^U). \end{aligned}$$

Now, suppose $\lambda^i > \frac{1}{2}$ and consider the following sequence of implications where $k \neq j$:

$$\begin{aligned} \lambda^i > \frac{1}{2} &\Leftrightarrow \lambda^i > (1-\lambda^i) \Leftrightarrow (\lambda^i)^{k-j} > (1-\lambda^i)^{k-j} \\ &\Leftrightarrow (\lambda^i M^U)^k ((1-\lambda^i)M^U)^j > (\lambda^i M^U)^j ((1-\lambda^i)M^U)^k \\ &\Leftrightarrow f(j|(1-\lambda^i)M^U) f(k|\lambda^i M^U) > f(j|\lambda^i M^U) f(k|(1-\lambda^i)M^U) \\ &\Leftrightarrow \sum_{j=0}^{\infty} \sum_{k=j+1}^{\infty} f(j|(1-\lambda^i)M^U) f(k|\lambda^i M^U) > \sum_{j=0}^{\infty} \sum_{k=j+1}^{\infty} f(j|\lambda^i M^U) f(k|(1-\lambda^i)M^U). \end{aligned}$$

The same argument shows that $\Pr\{A \text{ wins} | \lambda^i\} < \frac{1}{2}$ if and only if $\lambda^i < \frac{1}{2}$, and $\Pr\{A \text{ wins} | \lambda^i\} = \frac{1}{2}$ if and only if $\lambda^i = \frac{1}{2}$.

(b),(c) Here, we first prove part (c). The fact that $m_A^U = \lambda_A M^U$, and $m_B^U = \lambda_B M^U$ follows from Lemma 7. Moreover, one can easily show as in the proof of part (b) of Proposition 3 that (1) $\Phi^U(M|\lambda, \theta)$ is strictly decreasing in M , (2) $\Phi^U(0|\lambda, \theta) = 1$, and (3) $\lim_{M \rightarrow \infty} \Phi^U(M|\lambda, \theta) = 0$. Hence, there exists a unique $M^U \in (0, \infty)$ that solves $\Phi^U(M|\lambda, \theta) = 2c$. From here, it also follows that M^U is strictly decreasing in c , and becomes arbitrarily large as $c \rightarrow 0$. Together with part (a), this proves part (b). ■

PROOF OF PROPOSITION 7: Suppose (4) and (5) hold so that a symmetric totally-mixed strategy BNE obtains in either informational setting. Each part is proven in turn.

- (a) Suppose $n < \infty$. Since for $\lambda_A = \lambda^i$, $C^I(n|\lambda_A = \lambda^i) = 2nc\alpha^*(n)$ by Proposition 1, and $C^U(n|\lambda_A = \lambda^i) = nc\phi^*(n)$ by Proposition 4, it suffices to show that $\alpha^*(n) > \frac{\phi^*(n)}{2}$. Define $\hat{\phi} = \frac{\phi}{2}$ and $\hat{P}_A(\hat{\phi}|n, \lambda_A = \lambda^i) \equiv P_A(\lambda^i 2\hat{\phi}, (1 - \lambda^i) 2\hat{\phi}, n)$. Then,

$$\begin{aligned} \hat{P}_A(\hat{\phi}|n, \lambda_A = \lambda^i) &= \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n-1}{k, k, n-1-2k} 2^{2k} (\lambda^i (1 - \lambda^i))^k \hat{\phi}^{2k} (1 - 2\hat{\phi})^{n-1-2k} \\ &\quad + \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \binom{n-1}{k, k+1, n-2-2k} 2^{2k+1} (\lambda^i)^k (1 - \lambda^i)^{k+1} \hat{\phi}^{2k+1} (1 - 2\hat{\phi})^{n-2-2k}. \end{aligned}$$

Since $2\lambda^i(2(1 - \lambda^i)) < 1$, we have

$$\begin{aligned} \hat{P}_A(\hat{\phi}|n, \lambda_A = \lambda^i) &< \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n-1}{k, k, n-1-2k} \hat{\phi}^{2k} (1 - 2\hat{\phi})^{n-1-2k} \\ &\quad + 2(1 - \lambda^i) \sum_{k=0}^{\lfloor \frac{n-2}{2} \rfloor} \binom{n-1}{k, k+1, n-2-2k} \hat{\phi}^{2k+1} (1 - 2\hat{\phi})^{n-2-2k}. \end{aligned}$$

Moreover, since $\sum_{i=1}^r \theta^i \lambda^i = \frac{1}{2}$ and $\sum_{i=1}^r \theta^i \lambda^i 2(1 - \lambda^i) < \frac{1}{2}$, it follows that

$$\sum_{i=1}^r \theta^i \lambda^i \hat{P}_A(\hat{\phi}|n, \lambda_A = \lambda^i) = \frac{1}{2} Q(2\hat{\phi}, n) < \frac{1}{2} P(\hat{\phi}, n).$$

Finally, Lemma 2 and the proof of Proposition 5 established that both $P(\hat{\phi}, n)$ and $Q(2\hat{\phi}, n)$ are decreasing in $\hat{\phi}$, implying that $\alpha^* > \frac{\phi^*}{2}$ where $\frac{1}{2}P(\alpha^*, n) - c = 0$ and $\frac{1}{2}Q(2(\frac{\phi^*}{2}), n) - c = 0$.

For $n \rightarrow \infty$, we have $C^I(\phi^*(n), n|\lambda_A = \lambda^i) \rightarrow cM^I$ and $C^U(\phi^*(n), n|\lambda_A = \lambda^i) \rightarrow cM^U$, where M^I and M^U satisfy $\Phi^I(\frac{M}{2}, \frac{M}{2}) = 2c$ and $\Phi^U(M|\lambda, \theta) = 2c$, respectively. Since (1) both $\Phi^I(\frac{M}{2}, \frac{M}{2})$ and $\Phi^U(M|\lambda, \theta)$ are strictly decreasing in M , (2) $\Phi^I(0, 0) = \Phi^U(0|\lambda, \theta) = 1$, and (3) $\sum_{i=1}^r \theta^i \lambda^i = \frac{1}{2}$ and $\sum_{i=1}^r \theta^i \lambda^i 2(1 - \lambda^i) < \frac{1}{2}$, a similar comparison to the case with $n < \infty$ implies $M^I > M^U$.

- (b) Suppose $n < \infty$. From Proposition 1 and 4, it is obvious that $B^I(\phi, n|\lambda_A = \lambda^i) < B^U(\phi, n|\lambda_A = \lambda^i)$, and hence $\bar{B}^I(\theta, \lambda, n) < \bar{B}^U(\theta, \lambda, n)$. This result also holds for $n \rightarrow \infty$, because $\frac{B^I(\phi, n|\lambda_A = \lambda^i)}{B^U(\phi, n|\lambda_A = \lambda^i)} \rightarrow \frac{\frac{1}{2}}{\Pr\{A \text{ wins}|\lambda_A = \lambda^i\}\lambda^i + \Pr\{B \text{ wins}|\lambda_A = \lambda^i\}(1 - \lambda^i)} < 1$ by Proposition 4.

(c) It directly follows from part (a) and (b). ■

PROOF OF PROPOSITION 8. Let θ be a symmetric distribution over a fixed support λ , and $\phi^*(\theta)$ be the equilibrium voting probability, which satisfies (13). Decomposing the summation for some $i_0 \leq \lfloor \frac{r+1}{2} \rfloor$, we re-write (13)

$$\sum_{i=1}^{i_0-1} \theta^i T(\phi^*(n), n | \lambda_A = \lambda^i) + \left(\frac{1}{2} - \sum_{i \neq i_0}^{\lfloor \frac{r+1}{2} \rfloor} \theta^i\right) T(\phi^*(n), n | \lambda_A = \lambda^{i_0}) + \sum_{i=i_0+1}^{\lfloor \frac{r+1}{2} \rfloor} \theta^i T(\phi^*(n), n | \lambda_A = \lambda^i) = c. \quad (\text{A-7})$$

Totally differentiating both sides of (A-7) w.r.t. some θ_j ($j \neq i_0$, and $j \leq \lfloor \frac{r+1}{2} \rfloor$), we obtain

$$\frac{\partial}{\partial \theta_j} \phi^*(\theta) = \frac{T(\phi^*(n), n | \lambda_A = \lambda^{i_0}) - T(\phi^*(n), n | \lambda_A = \lambda^j)}{\theta_j T_\phi(\phi^*(\theta), n | \lambda_A = \lambda^j) + \left(\frac{1}{2} - \sum_{i \neq i_0}^{\lfloor \frac{r+1}{2} \rfloor} \theta^i\right) T_\phi(\phi^*(\theta), n | \lambda_A = \lambda^{i_0})} \quad (\text{A-8})$$

To sign $\phi^*_j(\theta)$, first recall from the proof of Proposition 5 that $\frac{\partial}{\partial \phi} T(\cdot) < 0$. Moreover, it is easy to verify from (12) that $T(\phi^*(n), n | \lambda_A = \lambda^i)$ is increasing in λ^i for $\lambda^i < \frac{1}{2}$, stationary at $\lambda^i = \frac{1}{2}$, and decreasing in λ^i for $\lambda^i > \frac{1}{2}$. Thus, for any $j < i_0$, we have $T(\phi^*(n), n | \lambda_A = \lambda^{i_0}) - T(\phi^*(n), n | \lambda_A = \lambda^j) > 0$, which implies $\frac{\partial}{\partial \theta_j} \phi^*(\theta) < 0$. A similar argument for any $i_0 < j \leq \lfloor \frac{r+1}{2} \rfloor$ shows that $\frac{\partial}{\partial \theta_j} \phi^*(\theta) > 0$.

These two observations reveal that if θ' and θ are two symmetric distributions such that θ' is a mean-preserving spread over θ as defined in section 6, then $\phi^*(\theta') \leq \phi^*(\theta)$, proving part (a).

To prove part (b), we recall the definition $\bar{B}(\theta, \lambda, n)$ and w.o.l.g., use a similar decomposition as in part (a). This implies

$$\bar{B}(\theta, \lambda, \phi, n) = \sum_{i=1}^{i_0-1} \theta^i B(\phi, n | \lambda_A = \lambda^i) + \left(\frac{1}{2} - \sum_{i \neq i_0}^{\lfloor \frac{r+1}{2} \rfloor} \theta^i\right) B(\lambda^{i_0}, \phi, n) + \sum_{i=i_0+1}^{\lfloor \frac{r+1}{2} \rfloor} \theta^i B(\phi, n | \lambda_A = \lambda^i) \quad (\text{A-9})$$

where

$$B(\phi, n | \lambda_A = \lambda^i) = \Pr\{A \text{ wins} | \lambda_A = \lambda^i\} \lambda^i n + \Pr\{B \text{ wins} | \lambda_A = \lambda^i\} (1 - \lambda^i) n. \quad (\text{A-10})$$

Moreover, we have

$$\Pr\{A \text{ wins} | \lambda_A = \lambda^i\} = \sum_{k=0}^n \sum_{k'=k+1}^n \binom{n}{k, k', n-k-k'} (\lambda^i \phi^*(\theta))^{k'} ((1 - \lambda^i) \phi^*(\theta))^k (1 - \phi^*(\theta))^{n-k-k'} \\ \Pr\{B \text{ wins} | \lambda_A = \lambda^i\} = \Pr\{A \text{ wins} | \lambda_A = 1 - \lambda^i\}.$$

Inserting (A-11) into (A-10), and then into (A-9) yields

$$\overline{\overline{B}}(\theta, \phi^*(\theta)) = \overline{B}(\theta, \lambda, \phi^*(\theta), n).$$

Differentiating w.r.t. some $1 \leq j < i_0$ implies

$$\frac{\partial}{\partial \theta_j} \overline{\overline{B}}(\theta, \phi^*(\theta)) + \frac{\partial \overline{\overline{B}}(\theta, \phi^*(\theta))}{\partial \phi} \frac{\partial \phi^*(\theta)}{\partial \theta_j}. \quad (\text{A-12})$$

It is easy to show that $\frac{\partial \overline{\overline{B}}(\theta, \phi^*(\theta))}{\partial \phi} > 0$ because $\frac{\partial B(\phi, n | \lambda_A = \lambda^i)}{\partial \phi} > 0$, and

$$\frac{\partial \overline{\overline{B}}(\theta, \phi^*(\theta))}{\partial \theta_j} \begin{cases} \geq 0 & \text{if } 1 \leq j < i_0 \\ \leq 0 & \text{if } i_0 < j \leq \lfloor \frac{r+1}{2} \rfloor \end{cases} .$$

From the proof of part (a), this means for $1 \leq j < i_0$, while the first term in (A-12) is positive, the second term is negative. However, a tedious algebra shows that it is overall positive. A similar argument shows that the overall sign is negative for $i_0 < j \leq \lfloor \frac{r+1}{2} \rfloor$. Together these two observations prove part (b).

The last part directly follows from part (a) and (b). ■

References

- [1] ALDRICH, J., "Rational Choice and Turnout," *American Journal of Political Science*, 1993, 37, 246-78.
- [2] ACEMOGLU, D. AND J. ROBINSON, *Economic Origins of Dictatorship and Democracy*, 2006, Cambridge University Press.
- [3] BERNHARDT, D., J. DUGGAN, AND F. SQUINTANI, "Private Polling in Elections," 2005, Working Paper, University of Rochester.
- [4] BARONE, M., 2006, "Close Elections: Is This a Trend?" *Real Clear Politics*, July 17.
- [5] BILLINGSLEY, P., *Probability and Measure*, 1995, John Wiley & Sons.
- [6] BORGERS, T., "Costly Voting," *American Economic Review*, 2004, 94, 57-66.
- [7] CAMPBELL, C., "Large Electorates and Decisive Minorities," *Journal of Political Economy*, 1999, 107, 1199-217.
- [8] DUTTA, B., M. JACKSON, AND M. LE BRETON, "Strategic Candidacy and Voting Procedures," *Econometrica*, 2001, 69, 1013-37.
- [9] DURAND, C., A. BLAIS, AND M. LAROCHELLE, "The Polls in the 2002 French Presidential Elections: An Autopsy," *Public Opinion Quarterly*, 2004, 68(4), 602-22.
- [10] DURAND, C., A. BLAIS, AND S. VACHON, "The Late Campaign Swing or A Failure of the Polls? The Case of the 1998 Quebec Election," *Public Opinion Quarterly*, 2001, 65, 108-23.
- [11] FEDDERSEN, T., AND W. PESENDORFER, "Voting Behavior and Information Aggregation in Elections with Private Information," *Econometrica*, 1997, 65, 1029-58.
- [12] FEDDERSEN, T., AND W. PESENDORFER, "Convicting the Innocent: The Inferiority of Unanimous Jury Verdicts with Strategic Voting," *American Political Science Review*, 1998, 92, 23-35.
- [13] GOEREE, J. AND J. GROSSER, "False Consensus Voting and Welfare Reducing Polls," *Economic Theory*, 2006, forthcoming.

- [14] HANSEN, S., T. PALFREY, AND H. ROSENTHAL, "The Downsian Model of Electoral Participation: Formal Theory and Empirical Analysis of the Constituency Size Effect," *Public Choice*, 1987, 52, 15-33.
- [15] JOWELL, R., B. HEDGES, P. LYNN, G. FARRANT, AND A. HEATH, "The 1992 British Election: The Failure of the Polls," *Public Opinion Quarterly*, 1993, 57, 238-63.
- [16] KLORY, E. AND E. WINTERZ, "On Public Opinion Polls and Voters' Turnout," 2006, working Paper, The Hebrew University of Jerusalem.
- [17] KRASA, S. AND M. POLBORN, "Is Mandatory Voting Better than Voluntary Voting?" 2005, Working Paper, University of Illinois.
- [18] LEDYARD, J., "The Pure Theory of Large Two-Candidate Elections," *Public Choice*, 1984, 44, 7-41.
- [19] MYERSON, R., "Population Uncertainty and Poisson Games," *International Journal of Game Theory*, 1998, 27, 375-92.
- [20] MYERSON, R., "Large Poisson Games," *Journal of Economic Theory*, 2000, 94, 7-45.
- [21] OSBORNE, M., J. ROSENTHAL, AND M. TURNER, "Meetings with Costly Participation," *American Economic Review*, 2000, 90, 927-43.
- [22] OTTAVIANI, M. AND P. SORENSEN, "The Strategy of Professional Forecasting," 2005, Working Paper, London Business School.
- [23] PALFREY, T., AND H. ROSENTHAL, "A Strategic Calculus of Voting," *Public Choice*, 1983, 41, 7-53.
- [24] PALFREY, T., AND H. ROSENTHAL, "Voter Participation and Strategic Uncertainty," *American Political Science Review*, 1985, 79, 62-78.
- PERSICO, N., "Committee Design with Endogenous Information," *Review of Economic Studies*, 2004, 71, 165-91.
- [25] SUDMAN, S., "Do Exit Polls Influence Voting Behavior," *Public Opinion Quarterly*, 1986, 50, 331-39.

- [26] TAYLOR, C. AND H. YILDIRIM, "An Analysis of Rational Voting with Private Values and Cost Uncertainty," 2006, Working Paper, Duke University.
- [27] WEST, D., "Polling Effects in Election Campaigns," *Political Behavior*, 1991, 13, 151-63.